


# Bibliography of Selected References on the Hydrogeologic and Chemical Properties of the Galena-Platteville Bedrock Unit in Illinois and Wisconsin, 1877–1997

---



U.S. GEOLOGICAL SURVEY

Water-Resources Investigations Report 97-4054-A

Prepared in cooperation with the

U.S. ENVIRONMENTAL PROTECTION AGENCY



Bibliography of Selected References on the  
Hydrogeologic and Chemical Properties of the  
Galena-Platteville Bedrock Unit in Illinois and  
Wisconsin, 1877–1997

By Timothy A. Brown, Charles P. Dunning,  
and William G. Batten

---

U.S. GEOLOGICAL SURVEY

Water-Resources Investigations Report 97–4054A

Prepared in cooperation with the  
U.S. ENVIRONMENTAL PROTECTION AGENCY



Urbana, Illinois  
Madison, Wisconsin  
1997

U.S. DEPARTMENT OF THE INTERIOR  
BRUCE BABBITT, Secretary

U.S. GEOLOGICAL SURVEY  
Gordon P. Eaton, Director

---

For additional information write to:

District Chief  
U.S. Geological Survey  
221 North Broadway Avenue  
Urbana, Illinois 61801

District Chief  
U.S. Geological Survey  
8505 Research Way  
Middleton, Wisconsin 53562

Copies of this report can be purchased  
from:

U.S. Geological Survey  
Branch of Information Services  
Box 25286  
Federal Center  
Denver, CO 80225

# CONTENTS

- Abstract ..... 1
- Introduction ..... 1
- Organization of the Bibliography ..... 3
- References Cited ..... 3
- Bibliography ..... 7
  - Illinois ..... 7
    - Boone County ..... 7
    - Bureau County ..... 9
    - Carroll County ..... 10
    - De Kalb County ..... 11
    - Grundy County ..... 13
    - Jo Daviess County ..... 14
    - Kane County ..... 16
    - Kendall County ..... 18
    - La Salle County ..... 20
    - Lee County ..... 21
    - McHenry County ..... 22
    - Ogle County ..... 24
    - Stephenson County ..... 26
    - Whiteside County ..... 27
    - Winnebago County ..... 28
  - Wisconsin ..... 31
    - Brown County ..... 31
    - Calumet County ..... 31
    - Columbia County ..... 32
    - Dane County ..... 33
    - Dodge County ..... 33
    - Fond du Lac County ..... 34
    - Grant County ..... 35
    - Green County ..... 36
    - Green Lake County ..... 36
    - Iowa County ..... 37
    - Jefferson County ..... 38
    - Lafayette County ..... 38
    - Marinette County ..... 39
    - Oconto County ..... 40
    - Outagamie County ..... 40
    - Rock County ..... 41
    - Shawano County ..... 41
    - Walworth County ..... 42
    - Washington County ..... 43
    - Waukesha County ..... 43
    - Winnebago County ..... 44

Figure

- 1. Map showing location of the study area in Illinois and Wisconsin ..... 2

# Bibliography of Selected References on the Hydrogeologic and Chemical Properties of the Galena-Platteville Bedrock Unit in Illinois and Wisconsin, 1877–1997

By Timothy A. Brown, Charles P. Dunning, and William G. Batten

## ABSTRACT

This report presents selected references concerning the Galena-Platteville deposits in Illinois and Wisconsin published from 1877 to 1997. Sources of the bibliographic information are the Universities of Illinois and Wisconsin Library Computer Systems; Illinet Online; the Illinois and Wisconsin District Libraries of the U.S. Geological Survey; U.S. Geological Survey Selected Water Resources Abstracts; U.S. Environmental Protection Agency reports; and Federal, State, and local agencies, corporations, and consultants.

The bibliography is arranged alphabetically, by county, in Illinois and Wisconsin. The references available for each county are arranged alphabetically by author. In addition, one or more selected hydrogeologic key words describing the content of the reference follow each listing. These key words are geophysical properties, hydraulic properties, inorganic geochemistry, lithology, organic geochemistry, physical properties, and water use. Included in the bibliography are 186 references obtained for 15 counties in Illinois and 21 counties in Wisconsin.

## INTRODUCTION


The Galena-Platteville deposits in northern Illinois and the Sinnipee Group<sup>1</sup> in Wisconsin compose the Galena-Platteville aquifer and are the source of

---

<sup>1</sup>For the purposes of this report, the Galena-Platteville deposits in Illinois and the Sinnipee Group in Wisconsin collectively will be called the Galena-Platteville bedrock unit.

ground water for many private residences. Because the Galena-Platteville bedrock unit is near land surface in much of the study area (fig. 1) and has limited capacity to attenuate any contaminants that may enter the unit, ground water in the aquifer is susceptible to contamination. In the subcrop area of Illinois and Wisconsin (Willman and Kolata, 1978) volatile organic compounds and other contaminants have been detected in this aquifer at several sites (Mills, 1993; Kay and others, 1994). Once contamination has entered the unit, the complex nature of the ground-water flow and contaminant transport through the aquifer makes characterization of the aquifer difficult. It is hoped that compilation of the references pertaining to the Galena-Platteville bedrock unit into a single source will assist investigators seeking a more thorough understanding of the unit, thereby facilitating aquifer characterization and any attempts at ground-water remediation.

This bibliography was prepared by the U.S. Geological Survey in cooperation with the U.S. Environmental Protection Agency as part of a study of the Galena-Platteville bedrock unit. Sources of the bibliographic information are the Universities of Illinois and Wisconsin Library Computer Systems; Illinet Online; Illinois and Wisconsin District Libraries of the U.S. Geological Survey; U.S. Geological Survey Selected Water Resources Abstracts; U.S. Environmental Protection Agency reports; and Federal, State and local agencies, corporations, and consultants. The large number of references concerning the Galena-Platteville bedrock unit and the continued interest in the quality of the ground water obtained from the unit indicate the need for a single source of references. Although a thorough literature search was done to compile this bibliography, it is not claimed to be a complete compilation of all references concerning the Galena-Platteville bedrock unit.



**Figure 1.** Location of the study area in Illinois and Wisconsin.

## ORGANIZATION OF THE BIBLIOGRAPHY

The bibliography contains 186 references published between 1877 and 1997 that concern the Galena-Platteville deposits in 15 counties in Illinois and 21 counties in Wisconsin (fig. 1). The references are arranged alphabetically by county in Illinois and Wisconsin. The references available for each county are arranged alphabetically by author. The arrangement is chronological when an author has more than one publication. If two or more publications within a chronological listing have the same year, the publications are arranged alphabetically by title, and the dates are followed by letters such as a, b, and c. Each reference is followed by one or more key words that identify the type of hydrogeologic information available in that reference.

The references in the bibliography present information ranging from regional-scale investigations covering multiple counties to site-specific investigations. Because of the diverse nature of the references, the key words that are assigned to each reference are intended only to provide a general idea of the content of the reference. The reader should obtain the original reference for detailed information.

The assigned key words are:

**geophysical properties** - The reference includes specific surface and borehole geophysical data, such as caliper, natural gamma, temperature, and other borehole geophysical logs.

**hydraulic properties** - The reference includes specific hydraulic properties, such as specific capacity, transmissivity, porosity, and storage coefficient.

**inorganic geochemistry** - The reference includes data for inorganic chemical analyses. Also may include field parameters, such as pH, specific conductance, and temperature.

**lithology** - The reference includes a description of the bedrock unit composition.

**organic geochemistry** - The reference includes data for organic chemical analyses.

**physical properties** - The reference includes bedrock-unit properties, such as presence or absence, thickness, bedrock-surface altitude, and bedrock water levels.

**water use** - The reference includes pumpage rates and types of use for water obtained from the bedrock unit.

## REFERENCES CITED

- Kay, R.T., Prinos, S.T., and Paillet, F.L., 1994, Geohydrology and ground-water quality in the vicinity of a ground-water-contamination site in Rockford, Illinois: U.S. Geological Survey Water-Resources Investigations Report 93-4187, 28 p.
- Mills, P.C., 1993, Vertical distribution of hydraulic characteristics and water quality in three boreholes in the Galena-Platteville aquifer at the Parson's Casket Hardware Superfund Site, Belvidere, Illinois, 1990: U.S. Geological Survey Open-File Report 93-402, 36 p.
- Willman, H.B., and Kolata, D.R., 1978, The Platteville and Galena groups in northern Illinois: Illinois State Geological Survey Circular 502, 75 p.

---

---

# **BIBLIOGRAPHY**

---

---

## BIBLIOGRAPHY

### Illinois

#### Boone County

- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. [**lithology, physical properties**]
- Berg, R.C., Kempton, J.P., and Reinertsen, D.L., 1982, Guide to the geology of the Capron-Rockford area: (Boone County): Illinois State Geological Survey Guide Leaflet 1982-B, 32 p. [**lithology, physical properties**]
- Berg, R.C., Kempton, J.P., and Stecyk, A.N., 1984, Geology for planning in Boone and Winnebago Counties: Illinois State Geological Survey Circular 531, 69 p. [**hydraulic properties, lithology, physical properties**]
- Bradbury, J.C., 1965, Dolomite resources of Boone and DeKalb Counties: Illinois State Geological Survey Circular 379, 22 p. [**lithology, physical properties, water use**]
- Brown, T.A., and Mills, P.C., 1995, Well-construction, hydrogeologic, and ground-water-quality data in the vicinity of Belvidere, Boone County, Illinois: U.S. Geological Survey Open-File Report 94-515, 34 p. [**inorganic geochemistry, lithology, organic geochemistry, physical properties**]
- Csallany, Sandor and Walton, W.C., 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 43 p. [**hydraulic properties, lithology, physical properties, water use**]
- Foote, G.R., 1982, Fracture analysis in northeastern Illinois and northern Indiana: University of Illinois at Urbana-Champaign, Master's thesis, 193 p. [**lithology, physical properties**]
- Gilkeson, R.H., Cartwright, K., Cowart, J.B., and Holtzman, R.B., 1983, Hydrogeologic and geochemical studies of selected natural radioisotopes and barium in ground water in Illinois: Illinois State Geological Survey Contract/Grant Report 1983-6, 93 p. [**inorganic geochemistry, lithology, physical properties**]
- GZA GeoEnvironmental, Inc., 1993, Bedrock drilling summary/work plan, Belvidere assembly plant, Belvidere, Illinois: Unpublished data on file at the Belvidere, Ill. office of Chrysler Motors Corporation, 12 p. [**geophysical properties, hydraulic properties, inorganic geochemistry, lithology, organic geochemistry, physical properties**]
- 1994, Data summary, field testing of Belvidere municipal well no. 8, Belvidere assembly plant, Belvidere, Illinois: Unpublished data on file at the Belvidere, Ill. office of Chrysler Motors Corporation, 12 p. [**geophysical properties, organic geochemistry**]
- Habermeyer, G.C., 1925, Public ground-water supplies in Illinois: Illinois State Water Survey Bulletin 21, 710 p. [**inorganic geochemistry, lithology, physical properties, water use**]
- Hackett, J.E., and Bergstrom, R.E., 1956, Ground water in northwestern Illinois: Illinois State Geological Survey Circular 207, 24 p. [**lithology, physical properties**]
- Illinois State Geological Survey, 1906-present, Well data base. (Computerized data base containing well-construction and subsurface information. Call (217) 244-2387 to obtain access.) [**hydraulic properties, lithology, physical properties, water use**]
- Illinois State Geological Survey, 1906-present, Well data base. (Paper copies of well-construction and subsurface information. Call (217) 333-5109 for information.) [**hydraulic properties, lithology, physical properties, water use**]
- Kolata, D.R., and Graese, A.M., 1983, Lithostratigraphy and depositional environments of the Maquoketa Group (Ordovician) in northern Illinois: Illinois State Geological Survey Circular 528, 49 p. [**lithology, physical properties**]
- Krey, Frank, and Lamar, J.E., 1925, Limestone resources of Illinois: Illinois State Geological Survey Bulletin 46, 392 p. [**lithology, physical properties**]
- Lamar, J.E., 1957, Chemical analyses of Illinois limestones and dolomites: Illinois State Geological Survey Report of Investigations 200, 33 p. [**inorganic geochemistry**]
- McGinnis, L.D., Kempton, J.P., and Heigold, P.C., 1963, Relationship of gravity anomalies to a drift-filled bedrock valley system: Illinois State Geological Survey Circular 354, 24 p. [**lithology, physical properties**]
- Mills, P.C., 1993a, Vertical distribution of hydraulic characteristics and water quality in three boreholes in the Galena-Platteville aquifer at the Parson's Casket Hardware Superfund site, Belvidere, Illinois, 1990: U.S. Geological Survey Open-File Report 93-402, 36 p. [**physical properties, hydraulic properties, inorganic geochemistry, lithology, organic geochemistry**]
- 1993b, Hydrogeology and water quality of the Galena-Platteville aquifer at the Parson's Casket Hardware Superfund site, Belvidere, Illinois, 1991: U.S. Geological Survey Open-File Report 93-403, 86 p. [**geophysical properties, hydraulic properties, inorganic geochemistry, lithology, organic geochemistry, physical properties**]
- 1993c, Hydrogeology and water quality of the Galena-Platteville aquifer at the Parson's Casket Hardware Superfund site, Belvidere, Illinois, 1991-1992: U.S. Geological Survey Open-File Report 93-404, 29 p. [**geophysical properties, hydraulic properties, organic geochemistry, physical properties**]

- Mills, P.C., Yeskis, D.J., and Straub, T.D., in press, Geologic, hydrologic, and water-quality data from selected boreholes and wells in and near Belvidere, Illinois, 1989-96: U.S. Geological Survey Open-File Report 97-242. [**geophysical properties, hydraulic properties, inorganic geochemistry, lithology, organic geochemistry, physical properties**]
- Mittelhauser Corporation, 1994, Reduced parameter list technical memorandum, Unpublished data on file in Springfield office of the Illinois Environmental Protection Agency [variously paged]. [**inorganic geochemistry, lithology, organic geochemistry, physical properties**]
- Niva, Borje, 1991, Results from borehole radar tests at Parson's Casket Superfund site: Abem AB, Mala, Sweden, 16 p. [**physical properties**]
- Reed, P.C., 1976, Data from controlled drilling program in Boone and DeKalb Counties, Illinois: Illinois State Geological Survey Environmental Geology Notes 77, 51 p. [**geophysical properties, lithology, physical properties**]
- Russel, R.R., 1963, Ground-water levels in Illinois through 1961: Illinois State Water Survey Report of Investigation 45, 51 p. [**physical properties, water use**]
- Sasman, R.T., 1982, Water-level trends, pumpage, and chemical quality in the Cambrian-Ordovician aquifer in Illinois, 1971-1980: Illinois State Water Survey Circular 154, 64 p. [**lithology, physical properties, water use**]
- Sasman, R.T., and Baker, W.H., Jr., 1966, Ground-water pumpage in northwestern Illinois through 1963: Illinois State Water Survey Report of Investigation 52, 33 p. [**lithology, physical properties, water use**]
- Sasman, R.T., Benson, C.R., Dzurisin, G.L., and Risk, N.E., 1974, Ground-water pumpage in northern Illinois, 1960-1970: Illinois State Water Survey Report of Investigation 73, 46 p. [**physical properties, water use**]
- Science Applications International Corporation, 1990, Remedial investigation/feasibility study, Phase 2 site investigation work plan, Parson's Casket Hardware site, Belvidere, Illinois: Illinois Environmental Protection Agency [variously paged]. [**inorganic geochemistry, lithology, organic geochemistry, physical properties**]
- 1992, Final remedial investigation report Parson's Casket Hardware site, Belvidere, Illinois: Report on file at the U.S. Environmental Protection Agency [variously paged]. [**hydraulic properties, inorganic geochemistry, lithology, organic geochemistry, physical properties**]
- Siegel, D.I., 1988, Geochemistry of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-D, 76 p. [**inorganic geochemistry, lithology, physical properties**]
- Suter, Max, Bergstrom, R.E., Smith, H.F., Emrich, G.H., Walton, W.C., and Larson, T.E., 1959, Summary: Preliminary report on the ground-water resources of the Chicago region, Illinois: Illinois State Geological Survey Cooperative Ground-Water Report 1-S, 18 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties, water use**]
- Templeton, J.S., and Willman, H.B., 1963, Champlainian series (Middle Ordovician) in Illinois: Illinois State Geological Survey Bulletin 89, 260 p. [**lithology, physical properties**]
- Thwaites, F.T., 1927, Stratigraphy and geologic structure of northern Illinois with special reference to underground water supplies: Illinois State Geological Survey Report of Investigations 13, 49 p. [**lithology, physical properties**]
- Total Environmental Services, Inc., 1992, Incident no. 903078, LUST technical report: Unpublished data on file in Springfield office of the Illinois Environmental Protection Agency [variously paged]. [**organic geochemistry, physical properties**]
- U.S. Environmental Protection Agency, 1991, Parson's Casket, Belvidere, Illinois, hydrogeologic testing: U.S. Environmental Protection Agency, Region 5 Technical Support Unit Report, 7 p. [**hydraulic properties**]
- Visocky, A.P., Sherrill, M.G., and Cartwright, Keros, 1985, Geology, hydrology, and water quality of the Cambrian and Ordovician systems in northern Illinois: Illinois State Geological Survey Cooperative Ground-Water Report 10, 136 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties, water use**]
- Walton, W.C., 1965, Ground-water recharge and runoff in Illinois: Illinois State Water Survey Report of Investigation 48, 55 p. [**lithology, physical properties**]
- Walton, W.C., and Csallany, Sandor, 1962, Yields of deep sandstone wells in northern Illinois: Illinois State Water Survey Report of Investigation 43, 47 p. [**hydraulic properties, lithology, physical properties, water use**]
- Walton, W.C., and Csallany, Sandor, 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 44 p. [**hydraulic properties, lithology, physical properties, water use**]
- Weston, Roy F., Inc., 1988, Remedial investigation report for Belvidere municipal No. 1 landfill site, Belvidere, Illinois: Illinois Environmental Protection Agency [variously paged]. [**inorganic geochemistry, lithology, organic geochemistry, physical properties**]
- Willman, H.B., 1943, High-purity dolomite in Illinois: Illinois State Geological Survey Report of Investigations 90, 89 p. [**lithology, physical properties**]

- Willman, H.B., Atherton, Elwood, Buschbach, T.C., Collinson, Charles, Frye, John C., Hopkins, M.E., Lineback, Jerry A., and Simon, Jack A., 1975, Handbook of Illinois stratigraphy: Illinois State Geological Survey Bulletin 95, 261 p. [**lithology, physical properties**]
- Willman, H.B., and Kolata, D.R., 1978, The Platteville and Galena groups in northern Illinois: Illinois State Geological Survey Circular 502, 75 p. [**lithology, physical properties**]
- Woller, D.M., and Sanderson, E.W., 1974, Public ground-water supplies in Boone County: Illinois State Water Survey Bulletin 60-6, 12 p. [**inorganic geochemistry, lithology, physical properties, water use**]
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Zacate, M.E., 1967, The geology of northern Illinois: Northern Illinois University, Dept. of Earth Science Master's thesis, 183 leaves. [**lithology, physical properties**]
- Bureau County**
- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. [**lithology, physical properties**]
- Csallany, Sandor and Walton, W.C., 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 43 p. [**hydraulic properties, lithology, physical properties, water use**]
- Gilkeson, R.H., Cartwright, K., Cowart, J.B., and Holtzman, R.B., 1983, Hydrogeologic and geochemical studies of selected natural radioisotopes and barium in ground water in Illinois: Illinois State Geological Survey Contract/Grant Report 1983-6, 93 p. [**inorganic geochemistry, lithology, physical properties**]
- Habermeyer, G.C., 1925, Public ground-water supplies in Illinois: Illinois State Water Survey Bulletin 21, 710 p. [**inorganic geochemistry, lithology, physical properties, water use**]
- Hackett, J.E., and Bergstrom, R.E., 1956, Ground water in northwestern Illinois: Illinois State Geological Survey Circular 207, 24 p. [**lithology, physical properties**]
- Illinois State Geological Survey, 1906-present, Well data base. (Computerized data base containing well-construction and subsurface information. Call (217) 244-2387 to obtain access.) [**hydraulic properties, lithology, physical properties, water use**]
- Illinois State Geological Survey, 1906-present, Well data base. (Paper copies of well-construction and subsurface information. Call (217) 333-5109 for information.) [**hydraulic properties, lithology, physical properties, water use**]
- Kolata, D.R., and Graese, A.M., 1983, Lithostratigraphy and depositional environments of the Maquoketa Group (Ordovician) in northern Illinois: Illinois State Geological Survey Circular 528, 49 p. [**lithology, physical properties**]
- Lamar, J.E., 1957, Chemical analyses of Illinois limestones and dolomites: Illinois State Geological Survey Report of Investigations 200, 33 p. [**inorganic geochemistry**]
- Sasman, R.T., 1982, Water-level trends, pumpage, and chemical quality in the Cambrian-Ordovician aquifer in Illinois, 1971-1980: Illinois State Water Survey Circular 154, 64 p. [**lithology, physical properties, water use**]
- Siegel, D.I., 1988, Geochemistry of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-D, 76 p. [**inorganic geochemistry, lithology, physical properties**]
- Templeton, J.S., and Willman, H.B., 1963, Champlainian series (Middle Ordovician) in Illinois: Illinois State Geological Survey Bulletin 89, 260 p. [**lithology, physical properties**]
- Thwaites, F.T., 1927, Stratigraphy and geologic structure of northern Illinois with special reference to underground water supplies: Illinois State Geological Survey Report of Investigations 13, 49 p. [**lithology, physical properties**]
- Visocky, A.P., Sherrill, M.G., and Cartwright, Keros, 1985, Geology, hydrology, and water quality of the Cambrian and Ordovician systems in northern Illinois: Illinois State Geological Survey Cooperative Ground-Water Report 10, 136 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties, water use**]
- Walton, W.C., and Csallany, Sandor, 1962, Yields of deep sandstone wells in northern Illinois: Illinois State Water Survey Report of Investigation 43, 47 p. [**hydraulic properties, lithology, physical properties, water use**]
- Walton, W.C., and Csallany, Sandor, 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 44 p. [**hydraulic properties, lithology, physical properties, water use**]
- Willman, H.B., Atherton, Elwood, Buschbach, T.C., Collinson, Charles, Frye, John C., Hopkins, M.E., Lineback, Jerry A., and Simon, Jack A., 1975,

Handbook of Illinois stratigraphy: Illinois State Geological Survey Bulletin 95, 261 p. [**lithology, physical properties**]

Willman, H.B., and Kolata, D.R., 1978, The Platteville and Galena groups in northern Illinois: Illinois State Geological Survey Circular 502, 75 p. [**lithology, physical properties**]

Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]

Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]

Zacate, M.E., 1967, The geology of northern Illinois: Northern Illinois University, Dept. of Earth Science Master's thesis, 183 leaves. [**lithology, physical properties**]

### **Carroll County**

Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. [**lithology, physical properties**]

Bretz, J.H., 1938, Caves in the Galena Formation: Journal of Geology, v. 46, No. 6, p. 828-841. [**lithology, physical properties**]

Csallany, Sandor and Walton, W.C., 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 43 p. [**hydraulic properties, lithology, physical properties, water use**]

Gilkeson, R.H., Cartwright, K., Cowart, J.B., and Holtzman, R.B., 1983, Hydrogeologic and geochemical studies of selected natural radioisotopes and barium in ground water in Illinois: Illinois State Geological Survey Contract/Grant Report 1983-6, 93 p. [**inorganic geochemistry, lithology, physical properties**]

Habermeyer, G.C., 1925, Public ground-water supplies in Illinois: Illinois State Water Survey Bulletin 21, 710 p. [**lithology, inorganic geochemistry, physical properties, water use**]

Hackett, J.E., and Bergstrom, R.E., 1956, Ground water in northwestern Illinois: Illinois State Geological Survey Circular 207, 24 p. [**lithology, physical properties**]

Illinois State Geological Survey, 1906-present, Well data base. (Computerized data base containing well-construction and subsurface information.

Call (217) 244-2387 to obtain access.) [**hydraulic properties, lithology, physical properties, water use**]

Illinois State Geological Survey, 1906-present, Well data base. (Paper copies of well-construction and subsurface information. Call (217) 333-5109 for information.) [**hydraulic properties, lithology, physical properties, water use**]

Kolata, D.R., and Buschbach, T.C., 1976, Plum River Fault Zone of northwestern Illinois: Illinois State Geological Survey Circular 491, 20 p. [**lithology, physical properties**]

Kolata, D.R., and Graese, A.M., 1983, Lithostratigraphy and depositional environments of the Maquoketa Group (Ordovician) in northern Illinois: Illinois State Geological Survey Circular 528, 49 p. [**lithology, physical properties**]

Krey, Frank, and Lamar, J.E., 1925, Limestone resources of Illinois: Illinois State Geological Survey Bulletin 46, 392 p. [**lithology, physical properties**]

Lamar, J.E., 1957, Chemical analyses of Illinois limestones and dolomites: Illinois State Geological Survey Report of Investigations 200, 33 p. [**inorganic geochemistry**]

Larson, T.H., Graese, A.M., and Orozco, P.G., 1993, Hydrogeology of the Silurian Dolomite Aquifer in parts of northwestern Illinois: Illinois State Geological Survey Environmental Geology 145, 29 p. [**lithology, physical properties**]

Reinertsen, D.L., 1989, Guide to the geology of the Savanna area, Carroll and Jo Daviess Counties: Illinois State Geological Survey Guide Leaflet 1989-B, 34 p. [**lithology, physical properties**]

Sasman, R.T., 1982, Water-level trends, pumpage, and chemical quality in the Cambrian-Ordovician aquifer in Illinois, 1971-1980: Illinois State Water Survey Circular 154, 64 p. [**lithology, physical properties, water use**]

Sasman, R.T., and Baker, W.H., Jr., 1966, Ground-water pumpage in northwestern Illinois through 1963: Illinois State Water Survey Report of Investigation 52, 33 p. [**lithology, physical properties, water use**]

Sasman, R.T., Benson, C.R., Dzurisin, G.L., and Risk, N.E., 1974, Ground-water pumpage in northern Illinois, 1960-1970: Illinois State Water Survey Report of Investigation 73, 46 p. [**physical properties, water use**]

Siegel, D.I., 1988, Geochemistry of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-D, 76 p. [**inorganic geochemistry, lithology, physical properties**]

Templeton, J.S., and Willman, H.B., 1963, Champlainian series (Middle Ordovician) in Illinois: Illinois State Geological Survey Bulletin 89, 260 p. [**lithology, physical properties**]

- Thwaites, F.T., 1927, Stratigraphy and geologic structure of northern Illinois with special reference to underground water supplies: Illinois State Geological Survey Report of Investigations 13, 49 p. [**lithology, physical properties**]
- Visocky, A.P., Sherrill, M.G., and Cartwright, Keros, 1985, Geology, hydrology, and water quality of the Cambrian and Ordovician systems in northern Illinois: Illinois State Geological Survey Cooperative Ground-Water Report 10, 136 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties, water use**]
- Walton, W.C., and Csallany, Sandor, 1962, Yields of deep sandstone wells in northern Illinois: Illinois State Water Survey Report of Investigation 43, 47 p. [**hydraulic properties, lithology, physical properties, water use**]
- Walton, W.C., and Csallany, Sandor, 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 44 p. [**hydraulic properties, lithology, physical properties, water use**]
- Willman, H.B., 1943, High-purity dolomite in Illinois: Illinois State Geological Survey Report of Investigations 90, 89 p. [**lithology, physical properties**]
- Willman, H.B., Atherton, Elwood, Buschbach, T.C., Collinson, Charles, Frye, John C., Hopkins, M.E., Lineback, Jerry A., and Simon, Jack A., 1975, Handbook of Illinois stratigraphy: Illinois State Geological Survey Bulletin 95, 261 p. [**lithology, physical properties**]
- Willman, H.B., and Kolata, D.R., 1978, The Platteville and Galena groups in northern Illinois: Illinois State Geological Survey Circular 502, 75 p. [**lithology, physical properties**]
- Woller, D.M., and Sanderson, E.W., 1979, Public ground-water supplies in Carroll County: Illinois State Water Survey Bulletin 60-28, 23 p. [**inorganic geochemistry, lithology, physical properties, water use**]
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Zacate, M.E., 1967, The geology of northern Illinois: Northern Illinois University, Dept. of Earth Science Master's thesis, 183 leaves. [**lithology, physical properties**]
- ## De Kalb County
- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. [**lithology, physical properties**]
- Bradbury, J.C., 1965, Dolomite resources of Boone and DeKalb Counties: Illinois State Geological Survey Circular 379, 22 p. [**lithology, physical properties, water use**]
- Csallany, Sandor and Walton, W.C., 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 43 p. [**hydraulic properties, lithology, physical properties, water use**]
- Eckblaw, G.E., 1938, Kankakee arch in Illinois: Illinois State Geological Survey Circular 40, 6 p. [**physical properties**]
- Ford, W.H., 1974, Geology for planning in DeKalb township, DeKalb County, Illinois: Northern Illinois University, Dept. of Geology, Master's thesis, 69 leaves. [**hydraulic properties, lithology, physical properties**]
- Gilkeson, R.H., Cartwright, K., Cowart, J.B., and Holtzman, R.B., 1983, Hydrogeologic and geochemical studies of selected natural radioisotopes and barium in ground water in Illinois: Illinois State Geological Survey Contract/Grant Report 1983-6, 93 p. [**inorganic geochemistry, lithology, physical properties**]
- Graese, A.M., Bauer, R.A., Curry, B.B., Vaiden, R.C., Dixon, W.G., Jr., and Kempton, J.P., 1988, Geological-geotechnical studies for siting the Superconducting Super Collider in Illinois--Regional Summary: Illinois State Geological Survey Environmental Geology Notes 123, 100 p. [**geophysical properties, lithology, physical properties**]
- Gross, D.L., 1970, Geology for planning in DeKalb County, Illinois: Illinois State Geological Survey Environmental Geology Notes No. 33, 26 leaves. [**hydraulic properties, lithology, physical properties**]
- Habermeyer, G.C., 1925, Public ground-water supplies in Illinois: Illinois State Water Survey Bulletin 21, 710 p. [**inorganic geochemistry, lithology, physical properties, water use**]
- Hackett, J.E., and Bergstrom, R.E., 1956, Ground water in northwestern Illinois: Illinois State Geological Survey Circular 207, 24 p. [**lithology, physical properties**]
- Illinois State Geological Survey, 1906-present, Well data base. (Computerized data base containing well-construction and subsurface information. Call (217) 244-2387 to obtain access.) [**hydraulic properties, lithology, physical properties, water use**]
- Illinois State Geological Survey, 1906-present, Well data base. (Paper copies of well-construction and subsurface information. Call (217) 333-5109 for information.)

- [**hydraulic properties, lithology, physical properties, water use**]
- Kempton, J.P., Bauer, R.A., Curry, B.B., Dixon, W.G., Jr., Graese, A.M., Reed, P.C., Sargent, M.L., and Vaiden, R.C., 1987, Geological-geotechnical studies for siting the Superconducting Super Collider in Illinois--Results of the Fall 1984 test drilling program: Illinois State Geological Survey Environmental Geology Notes 117, 102 p. [**geophysical properties, lithology, physical properties**]
- Kempton, J.P., Bauer, R.A., Curry, B.B., Dixon, W.G., Jr., Graese, A.M., Reed, P.C., and Vaiden, R.C., 1987, Geological-geotechnical studies for siting the Superconducting Super Collider in Illinois--Results of the Spring 1985 test drilling program: Illinois State Geological Survey Environmental Geology Notes 120, 88 p. [**geophysical properties, lithology, physical properties**]
- Kolata, D.R., Buschbach, T.C., and Treworgy, J.D., 1978, The Sandwich Fault Zone of northern Illinois: Illinois State Geological Survey Circular 505, 26 p. [**lithology, physical properties**]
- Kolata, D.R., and Graese, A.M., 1983, Lithostratigraphy and depositional environments of the Maquoketa Group (Ordovician) in northern Illinois: Illinois State Geological Survey Circular 528, 49 p. [**lithology, physical properties**]
- Krey, Frank, and Lamar, J.E., 1925, Limestone resources of Illinois: Illinois State Geological Survey Bulletin 46, 392 p. [**lithology, physical properties**]
- Lund, C.R., 1965, Data from controlled drilling program in Kane, Kendall, and DeKalb Counties, Illinois: Illinois State Geological Survey Environmental Geology Notes No. 6, 56 p. [**lithology, physical properties**]
- McGinnis, L.D., Kempton, J.P., and Heigold, P.C., 1963, Relationship of gravity anomalies to a drift-filled bedrock valley system: Illinois State Geological Survey Circular 354, 24 p. [**lithology, physical properties**]
- Reed, P.C., 1976, Data from controlled drilling program in Boone and DeKalb Counties, Illinois: Illinois State Geological Survey Environmental Geology Notes 77, 51 p. [**geophysical properties, lithology, physical properties**]
- Russel, R.R., 1963, Ground-water levels in Illinois through 1961: Illinois State Water Survey Report of Investigation 45, 51 p. [**physical properties, water use**]
- Sasman, R.T., 1982, Water-level trends, pumpage, and chemical quality in the Cambrian-Ordovician aquifer in Illinois, 1971-1980: Illinois State Water Survey Circular 154, 64 p. [**lithology, physical properties, water use**]
- Sasman, R.T., and Baker, W.H., Jr., 1966, Ground-water pumpage in northwestern Illinois through 1963: Illinois State Water Survey Report of Investigation 52, 33 p. [**lithology, physical properties, water use**]
- Sasman, R.T., Benson, C.R., Dzurisin, G.L., and Risk, N.E., 1974, Ground-water pumpage in northern Illinois, 1960-1970: Illinois State Water Survey Report of Investigation 73, 46 p. [**physical properties, water use**]
- Schumacher, D.A., 1990, The hydrogeology of the Galena-Platteville dolomite in DeKalb and Kane Counties, northeastern Illinois: Northern Illinois University, unpublished thesis, 173 p. [**hydraulic properties, lithology, physical properties**]
- Siegel, D.I., 1988, Geochemistry of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-D, 76 p. [**inorganic geochemistry, lithology, physical properties**]
- Suter, Max, Bergstrom, R.E., Smith, H.F., Emrich, G.H., Walton, W.C., and Larson, T.E., 1959, Summary: Preliminary report on the ground-water resources of the Chicago region, Illinois: Illinois State Geological Survey Cooperative Ground-Water Report 1-S, 18 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties, water use**]
- Templeton, J.S., and Willman, H.B., 1963, Champlainian series (Middle Ordovician) in Illinois: Illinois State Geological Survey Bulletin 89, 260 p. [**lithology, physical properties**]
- Thwaites, F.T., 1927, Stratigraphy and geologic structure of northern Illinois with special reference to underground water supplies: Illinois State Geological Survey Report of Investigations 13, 49 p. [**lithology, physical properties**]
- Visocky, A.P., Sherrill, M.G., and Cartwright, Keros, 1985, Geology, hydrology, and water quality of the Cambrian and Ordovician systems in northern Illinois: Illinois State Geological Survey Cooperative Ground-Water Report 10, 136 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties, water use**]
- Visocky, A.P., and Schulmeister, M.K., 1988, Groundwater investigations for siting the Superconducting Super Collider in Northeastern Illinois: Illinois State Water Survey Circular 170, 80 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties, water use**]
- Walton, W.C., 1965, Ground-water recharge and runoff in Illinois: Illinois State Water Survey Report of Investigation 48, 55 p. [**lithology, physical properties**]
- Walton, W.C., and Csallany, Sandor, 1962, Yields of deep sandstone wells in northern Illinois: Illinois State Water Survey Report of Investigation 43, 47 p. [**hydraulic properties, lithology, physical properties, water use**]
- Walton, W.C., and Csallany, Sandor, 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 44 p. [**hydraulic properties, lithology, physical properties, water use**]

- Willman, H.B., 1943, High-purity dolomite in Illinois: Illinois State Geological Survey Report of Investigations 90, 89 p. [**lithology, physical properties**]
- Willman, H.B., and Payne, J.N., 1943, Early Ordovician strata along Fox River in northern Illinois: Illinois State Geological Survey Circular 100 [variously paged]. [**lithology, physical properties**]
- Willman, H.B., Atherton, Elwood, Buschbach, T.C., Collinson, Charles, Frye, John C., Hopkins, M.E., Lineback, Jerry A., and Simon, Jack A., 1975, Handbook of Illinois stratigraphy: Illinois State Geological Survey Bulletin 95, 261 p. [**lithology, physical properties**]
- Willman, H.B., and Kolata, D.R., 1978, The Platteville and Galena groups in northern Illinois: Illinois State Geological Survey Circular 502, 75 p. [**lithology, physical properties**]
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Zacate, M.E., 1967, The geology of northern Illinois: Northern Illinois University, Dept. of Earth Science Master's thesis, 183 leaves. [**lithology, physical properties**]
- Grundey County**
- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. [**lithology, physical properties**]
- Csallany, Sandor and Walton, W.C., 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 43 p. [**hydraulic properties, lithology, physical properties, water use**]
- Gilkeson, R.H., Cartwright, K., Cowart, J.B., and Holtzman, R.B., 1983, Hydrogeologic and geochemical studies of selected natural radioisotopes and barium in ground water in Illinois: Illinois State Geological Survey Contract/Grant Report 1983-6, 93 p. [**inorganic geochemistry, lithology, physical properties**]
- Habermeyer, G.C., 1925, Public ground-water supplies in Illinois: Illinois State Water Survey Bulletin 21, 710 p. [**inorganic geochemistry, lithology, physical properties, water use**]
- Illinois State Geological Survey, 1906-present, Well data base. (Computerized data base containing well-construction and subsurface information. Call (217) 244-2387 to obtain access.) [**hydraulic properties, lithology, physical properties, water use**]
- Illinois State Geological Survey, 1906-present, Well data base. (Paper copies of well-construction and subsurface information. Call (217) 333-5109 for information.) [**hydraulic properties, lithology, physical properties, water use**]
- Kolata, D.R., and Graese, A.M., 1983, Lithostratigraphy and depositional environments of the Maquoketa Group (Ordovician) in northern Illinois: Illinois State Geological Survey Circular 528, 49 p. [**lithology, physical properties**]
- Krey, Frank, and Lamar, J.E., 1925, Limestone resources of Illinois: Illinois State Geological Survey Bulletin 46, 392 p. [**lithology, physical properties**]
- Lamar, J.E., 1957, Chemical analyses of Illinois limestones and dolomites: Illinois State Geological Survey Report of Investigations 200, 33 p. [**inorganic geochemistry**]
- Lamar, J.E., and Willman, H.B., 1933, Results of test-drilling of limestone near Morris, Illinois: Illinois State Geological Survey Circular 4, 6 leaves. [**lithology, physical properties**]
- Ostrom, M.E., 1957 Subsurface dolomite and limestone resources of Grundy and Kendall Counties: Illinois State Geological Survey Circular 230, 25 p. [**lithology, physical properties**]
- Reinertsen, D.L., and Smith, L.R., 1990, Guide to the geology of the Joliet area, Cook, Grundy, and Will Counties: Illinois State Geological Survey Guide Leaflet 1990-B, 41 p. [**lithology, physical properties**]
- Russel, R.R., 1963, Ground-water levels in Illinois through 1961: Illinois State Water Survey Report of Investigation 45, 51 p. [**physical properties, water use**]
- Sasman, R.T., 1982, Water-level trends, pumpage, and chemical quality in the Cambrian-Ordovician aquifer in Illinois, 1971-1980: Illinois State Water Survey Circular 154, 64 p. [**lithology, physical properties, water use**]
- Sasman, R.T., Benson, C.R., Dzurisin, G.L., and Risk, N.E., 1974, Ground-water pumpage in northern Illinois, 1960-1970: Illinois State Water Survey Report of Investigation 73, 46 p. [**physical properties, water use**]
- Siegel, D.I., 1988, Geochemistry of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-D, 76 p. [**physical properties, inorganic geochemistry, lithology**]
- Suter, Max, Bergstrom, R.E., Smith, H.F., Emrich, G.H., Walton, W.C., and Larson, T.E., 1959, Summary:

- Preliminary report on the ground-water resources of the Chicago region, Illinois: Illinois State Geological Survey Cooperative Ground-Water Report 1-S, 18 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties, water use]**
- Templeton, J.S., and Willman, H.B., 1963, Champlainian series (Middle Ordovician) in Illinois: Illinois State Geological Survey Bulletin 89, 260 p. **[lithology, physical properties]**
- Thwaites, F.T., 1927, Stratigraphy and geologic structure of northern Illinois with special reference to underground water supplies: Illinois State Geological Survey Report of Investigations 13, 49 p. **[lithology, physical properties]**
- Visocky, A.P., Sherrill, M.G., and Cartwright, Keros, 1985, Geology, hydrology, and water quality of the Cambrian and Ordovician systems in northern Illinois: Illinois State Geological Survey Cooperative Ground-Water Report 10, 136 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties, water use]**
- Walton, W.C., 1965, Ground-water recharge and runoff in Illinois: Illinois State Water Survey Report of Investigation 48, 55 p. **[lithology, physical properties]**
- Walton, W.C., and Csallany, Sandor, 1962, Yields of deep sandstone wells in northern Illinois: Illinois State Water Survey Report of Investigation 43, 47 p. **[hydraulic properties, lithology, physical properties, water use]**
- Walton, W.C., and Csallany, Sandor, 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 44 p. **[hydraulic properties, lithology, physical properties, water use]**
- Willman, H.B., 1971, Summary of the geology of the Chicago area: Illinois State Geological Survey Circular 460, 77 p. **[lithology, physical properties]**
- Willman, H.B., Atherton, Elwood, Buschbach, T.C., Collinson, Charles, Frye, John C., Hopkins, M.E., Lineback, Jerry A., and Simon, Jack A., 1975, Handbook of Illinois stratigraphy: Illinois State Geological Survey Bulletin 95, 261 p. **[lithology, physical properties]**
- Willman, H.B., and Kolata, D.R., 1978, The Platteville and Galena groups in northern Illinois: Illinois State Geological Survey Circular 502, 75 p. **[lithology, physical properties]**
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties]**
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties]**
- Zacate, M.E., 1967, The geology of northern Illinois: Northern Illinois University, Dept. of Earth Science Master's thesis, 183 leaves. **[lithology, physical properties]**

## Jo Daviess County

- Agnew, A.F., Heyl, A.V., Jr., and Lyons, J., 1956, Stratigraphy of middle-Ordovician rocks in the zinc-lead district of Wisconsin, Illinois, and Iowa: U.S. Geological Survey Professional Paper 274-K, p. 251-312. **[lithology, physical properties]**
- Bain, H.F., 1905, Zinc and lead deposits of northwestern Illinois: U.S. Geological Survey Bulletin 246, 56 p. **[lithology, physical properties]**
- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. **[lithology, physical properties]**
- Csallany, Sandor and Walton, W.C., 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 43 p. **[hydraulic properties, lithology, physical properties, water use]**
- Frederick, D.L., 1987, Regional variations of conodont assemblages in the Decorah subgroup (Middle Ordovician) of the upper Midwest: Northern Illinois University, Dept. of Geology, Master's thesis, 104 leaves. **[lithology, physical properties]**
- Gilkeson, R.H., Cartwright, K., Cowart, J.B., and Holtzman, R.B., 1983, Hydrogeologic and geochemical studies of selected natural radioisotopes and barium in ground water in Illinois: Illinois State Geological Survey Contract/Grant Report 1983-6, 93 p. **[inorganic geochemistry, lithology, physical properties]**
- Habermeyer, G.C., 1925, Public ground-water supplies in Illinois: Illinois State Water Survey Bulletin 21, 710 p. **[inorganic geochemistry, lithology, physical properties, water use]**
- Hackett, J.E. and Bergstrom, R.E., 1956, Ground water in northwestern Illinois: Illinois State Geological Survey Circular 207, 24 p. **[lithology, physical properties]**
- Illinois State Geological Survey, 1906-present, Well data base. (Computerized data base containing well-construction and subsurface information. Call (217) 244-2387 to obtain access.) **[hydraulic properties, lithology, physical properties, water use]**
- Illinois State Geological Survey, 1906-present, Well data base. (Paper copies of well-construction and subsurface information. Call (217) 333-5109 for information.) **[hydraulic properties, lithology, physical properties, water use]**

- Kolata, D.R., 1986, K-bentonites of the Ordovician Decorah Subgroup, Upper Mississippi Valley: correlation by chemical fingerprinting: Illinois State Geological Survey Circular 537, 30 p. [**lithology, physical properties**]
- Kolata, D.R., and Graese, A.M., 1983, Lithostratigraphy and depositional environments of the Maquoketa Group (Ordovician) in northern Illinois: Illinois State Geological Survey Circular 528, 49 p. [**lithology, physical properties**]
- Krey, Frank, and Lamar, J.E., 1925, Limestone resources of Illinois: Illinois State Geological Survey Bulletin 46, 392 p. [**lithology, physical properties**]
- Lamar, J.E., 1957, Chemical analyses of Illinois limestones and dolomites: Illinois State Geological Survey Report of Investigations 200, 33 p. [**inorganic geochemistry**]
- Larson, T.H., Graese, A.M., and Orozco, P.G., 1993, Hydrogeology of the Silurian Dolomite Aquifer in parts of northwestern Illinois: Illinois State Geological Survey Environmental Geology 145, 29 p. [**lithology, physical properties**]
- Perry, T.G., 1962, Spechts Ferry (Middle Ordovician) bryozoan fauna from Illinois, Wisconsin, and Iowa: Illinois State Geological Survey Circular 326, 36 p. [**lithology, physical properties**]
- Reinertsen, D.L., 1985, Guide to the Elizabeth area, Jo Daviess County: Illinois State Geological Survey Guide Leaflet 1985-B, 6 p. [**lithology, physical properties**]
- Reinertsen, D.L., 1989, Guide to the geology of the Savanna area, Carroll and Jo Daviess Counties: Illinois State Geological Survey Guide Leaflet 1989-B, 34 p. [**lithology, physical properties**]
- Reinertsen, D.L., 1992, Guide to the geology of the Galena area, Jo Daviess County, Illinois, Lafayette County, Wisconsin: Illinois State Geological Survey Guide Leaflet 1992-B [variously paged]. [**lithology, physical properties**]
- Reinertsen, D.L., Killey, M.M., and Cote, W.E., 1971, Guide leaflet, Geological science field trip, Galena area, Jo Daviess County, Illinois and Lafayette County, Wisconsin, Galena 15-minute quadrangle, Cuba City and New Diggings 7.5-minute quadrangles: Illinois State Geological Survey Guide Leaflet 1971-C, 20 p. [**lithology, physical properties**]
- Reinertsen, D.L., Berggren, D.J., and Killey, M.M., 1973, Guide leaflet, Geological science field trip, Stockton area, Jo Daviess County, Elizabeth and Lena 15-minute quadrangles: Illinois State Geological Survey Guide Leaflet 1972-D, 24 p. [**lithology, physical properties**]
- Sasman, R.T., 1982, Water-level trends, pumpage, and chemical quality in the Cambrian-Ordovician aquifer in Illinois, 1971-1980: Illinois State Water Survey Circular 154, 64 p. [**lithology, physical properties, water use**]
- Sasman, R.T., and Baker, W.H., Jr., 1966, Ground-water pumpage in northwestern Illinois through 1963: Illinois State Water Survey Report of Investigation 52, 33 p. [**lithology, physical properties, water use**]
- Sasman, R.T., Benson, C.R., Dzurisin, G.L., and Risk, N.E., 1974, Ground-water pumpage in northern Illinois, 1960-1970: Illinois State Water Survey Report of Investigation 73, 46 p. [**physical properties, water use**]
- Siegel, D.I., 1988, Geochemistry of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-D, 76 p. [**inorganic geochemistry, lithology, physical properties**]
- Templeton, J.S., and Willman, H.B., 1963, Champlainian series (Middle Ordovician) in Illinois: Illinois State Geological Survey Bulletin 89, 260 p. [**lithology, physical properties**]
- Thwaites, F.T., 1927, Stratigraphy and geologic structure of northern Illinois with special reference to underground water supplies: Illinois State Geological Survey Report of Investigations 13, 49 p. [**lithology, physical properties**]
- Trowbridge, A.C., and Shaw, E.W., 1916, Geology and geography of the Galena and Elizabeth Quadrangles: Illinois State Geological Survey Bulletin 26, 233 p. [**lithology, physical properties**]
- Visocky, A.P., Sherrill, M.G., and Cartwright, Keros, 1985, Geology, hydrology, and water quality of the Cambrian and Ordovician systems in northern Illinois: Illinois State Geological Survey Cooperative Ground-Water Report 10, 136 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties, water use**]
- Walton, W.C., and Csallany, Sandor, 1962, Yields of deep sandstone wells in northern Illinois: Illinois State Water Survey Report of Investigation 43, 47 p. [**hydraulic properties, lithology, physical properties, water use**]
- Walton, W.C., and Csallany, Sandor, 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 44 p. [**hydraulic properties, lithology, physical properties, water use**]
- Whitlow, J.W., and Brown, C.E., 1963, Geology of the Dubuque North quadrangle, Iowa-Wisconsin-Illinois: Iowa Geological Survey Bulletin 1123-C, 168 p. [**lithology, physical properties**]
- Willman, H.B., 1943, High-purity dolomite in Illinois: Illinois State Geological Survey Report of Investigations 90, 89 p. [**lithology, physical properties**]
- Willman, H.B., Reynolds, R.R., and Herbert, Paul, 1946, Geological aspects of prospecting and areas for prospecting in the zinc-lead district of northwestern Illinois: Illinois State Geological Survey Report of Investigations 116, 48 p. [**lithology, physical properties**]

- Willman, H.B., and Reynolds, R.R., 1947, Geological structure of the zinc-lead district of northwestern Illinois: Illinois State Geological Survey Report of Investigations 124, 15 p. [**lithology, physical properties**]
- Willman, H.B., Atherton, Elwood, Buschbach, T.C., Collinson, Charles, Frye, John C., Hopkins, M.E., Lineback, Jerry A., and Simon, Jack A., 1975, Handbook of Illinois stratigraphy: Illinois State Geological Survey Bulletin 95, 261 p. [**lithology, physical properties**]
- Willman, H.B., and Kolata, D.R., 1978, The Platteville and Galena groups in northern Illinois: Illinois State Geological Survey Circular 502, 75 p. [**lithology, physical properties**]
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Zacate, M.E., 1967, The geology of northern Illinois: Northern Illinois University, Dept. of Earth Science Master's thesis, 183 leaves. [**lithology, physical properties**]
- Kane County**
- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. [**lithology, physical properties**]
- Benson, C.R., 1990, Evaluation of water supply and well designs for Campton Township in Kane County, Illinois: Illinois State Water Survey Contract Report 494, 21 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties, water use**]
- Bretz, J.H., 1938, Caves in the Galena Formation: Journal of Geology, v. 46, no. 6, p. 828-841. [**lithology, physical properties**]
- Buschbach, T.C., 1964, Cambrian and Ordovician strata of northeastern Illinois: Illinois State Geological Survey Report of Investigations 218, 90 p. [**lithology, physical properties**]
- Csallany, Sandor and Walton, W.C., 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 43 p. [**hydraulic properties, lithology, physical properties, water use**]
- Curry, B.B., Graese, A.M., Hasek, M.J., Vaiden, R.C., Bauer, R.A., Schumacher, D.A., Norton, K.L., and Dixon, W.G., Jr., 1988, Geological-geotechnical studies for siting the Superconducting Super Collider in Illinois: Results of the 1986 test drilling program: Illinois State Geological Survey Environmental Geology Notes 122, 107 p. [**geophysical properties, lithology, physical properties**]
- Gilkeson, R.H., Cartwright, K., Cowart, J.B., and Holtzman, R.B., 1983, Hydrogeologic and geochemical studies of selected natural radioisotopes and barium in ground water in Illinois: Illinois State Geological Survey Contract/Grant Report 1983-6, 93 p. [**inorganic geochemistry, lithology, physical properties**]
- Graese, A.M., 1991, Facies analysis of the Ordovician Maquoketa group and adjacent strata in Kane County, northeastern Illinois: Illinois State Geological Survey Circular 547, 36 p. [**lithology, physical properties**]
- Graese, A.M., Bauer, R.A., Curry, B.B., Vaiden, R.C., Dixon, W.G., Jr., and Kempton, J.P., 1988, Geological-geotechnical studies for siting the Superconducting Super Collider in Illinois--Regional Summary: Illinois State Geological Survey Environmental Geology Notes 123, 100 p. [**geophysical properties, lithology, physical properties**]
- Gross, D.L., 1969, Glacial geology of Kane County, Illinois: University of Illinois Ph.D. thesis, 211 leaves. [**lithology, physical properties**]
- Habermeyer, G.C., 1925, Public ground-water supplies in Illinois: Illinois State Water Survey Bulletin 21, 710 p. [**inorganic geochemistry, lithology, physical properties, water use**]
- Hughes, G.M., Kraatz, Paul, and Landon, R.A., 1966, Bedrock aquifers of northeastern Illinois: Illinois State Geological Survey Circular 406, 15 p. [**lithology, physical properties**]
- Illinois State Geological Survey, 1906-present, Well data base. (Computerized data base containing well-construction and subsurface information. Call (217) 244-2387 to obtain access.) [**hydraulic properties, lithology, physical properties, water use**]
- Illinois State Geological Survey, 1906-present, Well data base. (Paper copies of well-construction and subsurface information. Call (217) 333-5109 for information.) [**hydraulic properties, lithology, physical properties, water use**]
- Kay, R.T., and Kraske, K.A., 1996, Ground-water levels in aquifers used for residential supply, Campton Township, Kane County, Illinois: U.S. Geological Survey Water-Resources Investigations Report 96-4009, 37 p. [**hydraulic properties, lithology, physical properties, water use**]
- Kempton, J.P., Bauer, R.A., Curry, B.B., Dixon, W.G., Jr., Graese, A.M., Reed, P.C., Sargent, M.L., and Vaiden, R.C., 1987, Geological-geotechnical studies

- for siting the Superconducting Super Collider in Illinois--Results of the Fall 1984 test drilling program: Illinois State Geological Survey Environmental Geology Notes 117, 102 p. [**geophysical properties, lithology, physical properties**]
- Kempton, J.P., Bauer, R.A., Curry, B.B., Dixon, W.G., Jr., Graese, A.M., Reed, P.C., and Vaiden, R.C., 1987, Geological-geotechnical studies for siting the Superconducting Super Collider in Illinois--Results of the Spring 1985 test drilling program: Illinois State Geological Survey Environmental Geology Notes 120, 88 p. [**geophysical properties, lithology, physical properties**]
- Kolata, D.R., and Graese, A.M., 1983, Lithostratigraphy and depositional environments of the Maquoketa Group (Ordovician) in northern Illinois: Illinois State Geological Survey Circular 528, 49 p. [**lithology, physical properties**]
- Krey, Frank, and Lamar, J.E., 1925, Limestone resources of Illinois: Illinois State Geological Survey Bulletin 46, 392 p. [**lithology, physical properties**]
- Lamar, J.E., 1957, Chemical analyses of Illinois limestones and dolomites: Illinois State Geological Survey Report of Investigations 200, 33 p. [**inorganic geochemistry**]
- Lund, C.R., 1965, Data from controlled drilling program in Kane, Kendall, and DeKalb Counties, Illinois: Illinois State Geological Survey Environmental Geology Notes No. 6, 56 p. [**lithology, physical properties**]
- Reed, P.C., 1972, Data from controlled drilling program in Du Page, Kane, and Kendall Counties, Illinois: Illinois State Geological Survey Environmental Geology Notes No. 53, 42 p. [**lithology, physical properties**]
- Reed, P.C., 1975, Data from controlled drilling program in Kane County, Illinois: Illinois State Geological Survey Environmental Geology Notes No. 75, 38 p. [**lithology, physical properties**]
- Russel, R.R., 1963, Ground-water levels in Illinois through 1961: Illinois State Water Survey Report of Investigation 45, 51 p. [**physical properties, water use**]
- Sasman, R.T., 1982, Water-level trends, pumpage, and chemical quality in the Cambrian-Ordovician aquifer in Illinois, 1971-1980: Illinois State Water Survey Circular 154, 64 p. [**lithology, physical properties, water use**]
- Sasman, R.T., Benson, C.R., Dzurisin, G.L., and Risk, N.E., 1974, Ground-water pumpage in northern Illinois, 1960-1970: Illinois State Water Survey Report of Investigation 73, 46 p. [**physical properties, water use**]
- Schumacher, D.A., 1990, The hydrogeology of the Galena-Platteville dolomite in DeKalb and Kane Counties, northeastern Illinois: Northern Illinois University, unpublished thesis, 173 p. [**hydraulic properties, lithology, physical properties**]
- Siegel, D.I., 1988, Geochemistry of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-D, 76 p. [**inorganic geochemistry, lithology, physical properties**]
- Suter, Max, Bergstrom, R.E., Smith, H.F., Emrich, G.H., Walton, W.C., and Larson, T.E., 1959, Summary: Preliminary report on the ground-water resources of the Chicago region, Illinois: Illinois State Geological Survey Cooperative Ground-Water Report 1-S, 18 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties, water use**]
- Templeton, J.S., and Willman, H.B., 1963, Champlainian series (Middle Ordovician) in Illinois: Illinois State Geological Survey Bulletin 89, 260 p. [**lithology, physical properties**]
- Thwaites, F.T., 1927, Stratigraphy and geologic structure of northern Illinois with special reference to underground water supplies: Illinois State Geological Survey Report of Investigations 13, 49 p. [**lithology, physical properties**]
- Vaiden, R.C., 1992, Bedrock topography of Kane County: Illinois State Geological Survey Open File series 1990-2b, map. [**lithology, physical properties**]
- Visocky, A.P., Sherrill, M.G., and Cartwright, Keros, 1985, Geology, hydrology, and water quality of the Cambrian and Ordovician systems in northern Illinois: Illinois State Geological Survey Cooperative Ground-Water Report 10, 136 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties, water use**]
- Visocky, A.P., and Schulmeister, M.K., 1988, Groundwater investigations for siting the Superconducting Super Collider in Northeastern Illinois: Illinois State Water Survey Circular 170, 80 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties, water use**]
- Walton, W.C., 1965, Ground-water recharge and runoff in Illinois: Illinois State Water Survey Report of Investigation 48, 55 p. [**lithology, physical properties**]
- Walton, W.C., and Csallany, Sandor, 1962, Yields of deep sandstone wells in northern Illinois: Illinois State Water Survey Report of Investigation 43, 47 p. [**hydraulic properties, lithology, physical properties, water use**]
- Walton, W.C., and Csallany, Sandor, 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 44 p. [**hydraulic properties, lithology, physical properties, water use**]
- Willman, H.B., 1971, Summary of the geology of the Chicago area: Illinois State Geological Survey Circular 460, 77 p. [**lithology, physical properties**]
- Willman, H.B., Atherton, Elwood, Buschbach, T.C., Collinson, Charles, Frye, John C., Hopkins, M.E., Lineback, Jerry A., and Simon, Jack A., 1975, Handbook of Illinois stratigraphy: Illinois State

- Geological Survey Bulletin 95, 261 p. [**lithology, physical properties**]
- Willman, H.B., and Kolata, D.R., 1978, The Platteville and Galena groups in northern Illinois: Illinois State Geological Survey Circular 502, 75 p. [**lithology, physical properties**]
- Woller, D.M., and Sanderson, E.W., 1978, Public ground-water supplies in Kane County: Illinois State Water Survey Bulletin 60-22, 92 p. [**inorganic geochemistry, lithology, physical properties, water use**]
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Zacate, M.E., 1967, The geology of northern Illinois: Northern Illinois University, Dept. of Earth Science Master's thesis, 183 leaves. [**lithology, physical properties**]

### Kendall County

- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. [**lithology, physical properties**]
- Csallany, Sandor and Walton, W.C., 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 43 p. [**hydraulic properties, lithology, physical properties, water use**]
- Curry, B.B., Graese, A.M., Hasek, M.J., Vaiden, R.C., Bauer, R.A., Schumacher, D.A., Norton, K.L., and Dixon, W.G., Jr., 1988, Geological-geotechnical studies for siting the Superconducting Super Collider in Illinois: Results of the 1986 test drilling program: Illinois State Geological Survey Environmental Geology Notes 122, 107 p. [**geophysical properties, lithology, physical properties**]
- Eklaw, G.E., 1938, Kankakee arch in Illinois: Illinois State Geological Survey Circular 40, 6 p. [**physical properties**]
- Fedor, D.G., 1971, Geology for planning in Bristol and Oswego townships, Kendall County, Illinois: Northern Illinois University, Dept. of Geology, Master's thesis, 54 leaves. [**hydraulic properties, lithology, physical properties**]
- Foote, G.R., 1982, Fracture analysis in northeastern Illinois and northern Indiana: University of Illinois at Urbana-Champaign, Master's thesis, 193 p. [**lithology, physical properties**]
- Gilkeson, R.H., Cartwright, K., Cowart, J.B., and Holtzman, R.B., 1983, Hydrogeologic and geochemical studies of selected natural radioisotopes and barium in ground water in Illinois: Illinois State Geological Survey Contract/Grant Report 1983-6, 93 p. [**inorganic geochemistry, lithology, physical properties**]
- Graese, A.M., Bauer, R.A., Curry, B.B., Vaiden, R.C., Dixon, W.G., Jr., and Kempton, J.P., 1988, Geological-geotechnical studies for siting the Superconducting Super Collider in Illinois--Regional Summary: Illinois State Geological Survey Environmental Geology Notes 123, 100 p. [**geophysical properties, lithology, physical properties**]
- Habermeyer, G.C., 1925, Public ground-water supplies in Illinois: Illinois State Water Survey Bulletin 21, 710 p. [**inorganic geochemistry, lithology, physical properties, water use**]
- Illinois State Geological Survey, 1906-present, Well data base. (Computerized data base containing well-construction and subsurface information. Call (217) 244-2387 to obtain access.) [**hydraulic properties, lithology, physical properties, water use**]
- Illinois State Geological Survey, 1906-present, Well data base. (Paper copies of well-construction and subsurface information. Call (217) 333-5109 for information.) [**hydraulic properties, lithology, physical properties, water use**]
- Kempton, J.P., Bauer, R.A., Curry, B.B., Dixon, W.G., Jr., Graese, A.M., Reed, P.C., Sargent, M.L., and Vaiden, R.C., 1987, Geological-geotechnical studies for siting the Superconducting Super Collider in Illinois--Results of the Fall 1984 test drilling program: Illinois State Geological Survey Environmental Geology Notes 117, 102 p. [**geophysical properties, lithology, physical properties**]
- Kempton, J.P., Bauer, R.A., Curry, B.B., Dixon, W.G., Jr., Graese, A.M., Reed, P.C., and Vaiden, R.C., 1987, Geological-geotechnical studies for siting the Superconducting Super Collider in Illinois--Results of the Spring 1985 test drilling program: Illinois State Geological Survey Environmental Geology Notes 120, 88 p. [**geophysical properties, lithology, physical properties**]
- Kolata, D.R., Buschbach, T.C., and Treworgy, J.D., 1978, The Sandwich Fault Zone of northern Illinois: Illinois State Geological Survey Circular 505, 26 p. [**lithology, physical properties**]
- Kolata, D.R., and Graese, A.M., 1983, Lithostratigraphy and depositional environments of the Maquoketa Group (Ordovician) in northern Illinois: Illinois State

- Geological Survey Circular 528, 49 p. [**lithology, physical properties**]
- Krey, Frank, and Lamar, J.E., 1925, Limestone resources of Illinois: Illinois State Geological Survey Bulletin 46, 392 p. [**lithology, physical properties**]
- Lamar, J.E., 1957, Chemical analyses of Illinois limestones and dolomites: Illinois State Geological Survey Report of Investigations 200, 33 p. [**inorganic geochemistry**]
- Lund, C.R., 1965, Data from controlled drilling program in Kane, Kendall, and DeKalb Counties, Illinois: Illinois State Geological Survey Environmental Geology Notes No. 6, 56 p. [**lithology, physical properties**]
- Ostrom, M.E., 1957 Subsurface dolomite and limestone resources of Grundy and Kendall Counties: Illinois State Geological Survey Circular 230, 25 p. [**lithology, physical properties**]
- Reed, P.C., 1972, Data from controlled drilling program in Du Page, Kane, and Kendall Counties, Illinois: Illinois State Geological Survey Environmental Geology Notes No. 53, 42 p. [**lithology, physical properties**]
- Russel, R.R., 1963, Ground-water levels in Illinois through 1961: Illinois State Water Survey Report of Investigation 45, 51 p. [**physical properties, water use**]
- Sasman, R.T., 1982, Water-level trends, pumpage, and chemical quality in the Cambrian-Ordovician aquifer in Illinois, 1971-1980: Illinois State Water Survey Circular 154, 64 p. [**lithology, physical properties, water use**]
- Sasman, R.T., Benson, C.R., Dzurisin, G.L., and Risk, N.E., 1974, Ground-water pumpage in northern Illinois, 1960-1970: Illinois State Water Survey Report of Investigation 73, 46 p. [**physical properties, water use**]
- Siegel, D.I., 1988, Geochemistry of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-D, 76 p. [**inorganic geochemistry, lithology, physical properties**]
- Suter, Max, Bergstrom, R.E., Smith, H.F., Emrich, G.H., Walton, W.C., and Larson, T.E., 1959, Summary: Preliminary report on the ground-water resources of the Chicago region, Illinois: Illinois State Geological Survey Cooperative Ground-Water Report 1-S, 18 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties, water use**]
- Templeton, J.S., and Willman, H.B., 1963, Champlainian series (Middle Ordovician) in Illinois: Illinois State Geological Survey Bulletin 89, 260 p. [**lithology, physical properties**]
- Thwaites, F.T., 1927, Stratigraphy and geologic structure of northern Illinois with special reference to underground water supplies: Illinois State Geological Survey Report of Investigations 13, 49 p. [**lithology, physical properties**]
- Visocky, A.P., Sherrill, M.G., and Cartwright, Keros, 1985, Geology, hydrology, and water quality of the Cambrian and Ordovician systems in northern Illinois: Illinois State Geological Survey Cooperative Ground-Water Report 10, 136 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties, water use**]
- Visocky, A.P., and Schulmeister, M.K., 1988, Groundwater investigations for siting the Superconducting Super Collider in Northeastern Illinois: Illinois State Water Survey Circular 170, 80 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties, water use**]
- Walton, W.C., 1965, Ground-water recharge and runoff in Illinois: Illinois State Water Survey Report of Investigation 48, 55 p. [**lithology, physical properties**]
- Walton, W.C., and Csallany, Sandor, 1962, Yields of deep sandstone wells in northern Illinois: Illinois State Water Survey Report of Investigation 43, 47 p. [**hydraulic properties, lithology, physical properties, water use**]
- Walton, W.C., and Csallany, Sandor, 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 44 p. [**hydraulic properties, lithology, physical properties, water use**]
- Willman, H.B., 1971, Summary of the geology of the Chicago area: Illinois State Geological Survey Circular 460, 77 p. [**lithology, physical properties**]
- Willman, H.B., and Payne, J.N., 1943, Early Ordovician strata along Fox River in northern Illinois: Illinois State Geological Survey Circular 100 [variously paged]. [**lithology, physical properties**]
- Willman, H.B., Atherton, Elwood, Buschbach, T.C., Collinson, Charles, Frye, John C., Hopkins, M.E., Lineback, Jerry A., and Simon, Jack A., 1975, Handbook of Illinois stratigraphy: Illinois State Geological Survey Bulletin 95, 261 p. [**lithology, physical properties**]
- Willman, H.B., and Kolata, D.R., 1978, The Platteville and Galena groups in northern Illinois: Illinois State Geological Survey Circular 502, 75 p. [**lithology, physical properties**]
- Woller, D.M., and Gibb, J.P., 1974, Public ground-water supplies in Kendall County: Illinois State Water Survey Bulletin 60-4, 16 p. [**inorganic geochemistry, lithology, physical properties, water use**]
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. [**hydraulic**]

**properties, inorganic geochemistry, lithology, physical properties]**

Zacate, M.E., 1967, The geology of northern Illinois: Northern Illinois University, Dept. of Earth Science Master's thesis, 183 leaves. **[lithology, physical properties]**

### **La Salle County**

Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. **[lithology, physical properties]**

Cady, G.H., 1920, The structure of the La Salle Anticline: Illinois State Geological Survey Bulletin 36, p. 85-179. **[lithology, physical properties]**

Csallany, Sandor and Walton, W.C., 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 43 p. **[hydraulic properties, lithology, physical properties, water use]**

Gilkeson, R.H., Cartwright, K., Cowart, J.B., and Holtzman, R.B., 1983, Hydrogeologic and geochemical studies of selected natural radioisotopes and barium in ground water in Illinois: Illinois State Geological Survey Contract/Grant Report 1983-6, 93 p. **[inorganic geochemistry, lithology, physical properties]**

Habermeyer, G.C., 1925, Public ground-water supplies in Illinois: Illinois State Water Survey Bulletin 21, 710 p. **[inorganic geochemistry, lithology, physical properties, water use]**

Hackett, J.E., and Bergstrom, R.E., 1956, Ground water in northwestern Illinois: Illinois State Geological Survey Circular 207, 24 p. **[lithology, physical properties]**

Hoover, L.R., and Schicht, R.J., 1967, Development in deep sandstone aquifer along the Illinois River in La Salle County: Illinois State Water Survey Report of Investigation 59, 23 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties]**

Illinois State Geological Survey, 1906-present, Well data base. (Computerized data base containing well-construction and subsurface information. Call (217) 244-2387 to obtain access.) **[hydraulic properties, lithology, physical properties, water use]**

Illinois State Geological Survey, 1906-present, Well data base. (Paper copies of well-construction and subsurface information. Call (217) 333-5109 for information.) **[hydraulic properties, lithology, physical properties, water use]**

Kolata, D.R., and Graese, A.M., 1983, Lithostratigraphy and depositional environments of the Maquoketa Group (Ordovician) in northern Illinois: Illinois State Geological Survey Circular 528, 49 p. **[lithology, physical properties]**

Krey, Frank, and Lamar, J.E., 1925, Limestone resources of Illinois: Illinois State Geological Survey Bulletin 46, 392 p. **[lithology, physical properties]**

Kuhnenn, G.L., 1976, Carbonate microfacies of the Platteville group (Middle Ordovician) Lee and La Salle Counties, Illinois: University of Illinois at Urbana-Champaign Ph.D. thesis, 86 leaves. **[lithology, physical properties]**

Lamar, J.E., 1957, Chemical analyses of Illinois limestones and dolomites: Illinois State Geological Survey Report of Investigations 200, 33 p. **[inorganic geochemistry]**

McGinnis, L.D., Kempton, J.P., and Heigold, P.C., 1963, Relationship of gravity anomalies to a drift-filled bedrock valley system: Illinois State Geological Survey Circular 354, 24 p. **[lithology, physical properties]**

Russel, R.R., 1963, Ground-water levels in Illinois through 1961: Illinois State Water Survey Report of Investigation 45, 51 p. **[physical properties, water use]**

Sasman, R.T., 1982, Water-level trends, pumpage, and chemical quality in the Cambrian-Ordovician aquifer in Illinois, 1971-1980: Illinois State Water Survey Circular 154, 64 p. **[lithology, physical properties, water use]**

Sasman, R.T., Benson, C.R., Dzurisin, G.L., and Risk, N.E., 1974, Ground-water pumpage in northern Illinois, 1960-1970: Illinois State Water Survey Report of Investigation 73, 46 p. **[physical properties, water use]**

Shaw, T.H., and Sargent, M.L., 1989, Catalog of cores from the sub-Galena Group in Illinois: Illinois State Geological Survey Illinois Petroleum 132, 30 p. **[physical properties]**

Siegel, D.I., 1988, Geochemistry of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-D, 76 p. **[inorganic geochemistry, lithology, physical properties]**

Suter, Max, Bergstrom, R.E., Smith, H.F., Emrich, G.H., Walton, W.C., and Larson, T.E., 1959, Summary: Preliminary report on the ground-water resources of the Chicago region, Illinois: Illinois State Geological Survey Cooperative Ground-Water Report 1-S, 18 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties, water use]**

Templeton, J.S., and Willman, H.B., 1952, Central northern Illinois: Illinois State Geological Survey Guidebook Series 2, 47 p. **[lithology, physical properties]**

Templeton, J.S., and Willman, H.B., 1963, Champlainian series (Middle Ordovician) in Illinois: Illinois State Geological Survey Bulletin 89, 260 p. **[lithology, physical properties]**

Thwaites, F.T., 1927, Stratigraphy and geologic structure of northern Illinois with special reference to underground water supplies: Illinois State Geological Survey Report

- of Investigations 13, 49 p. [**lithology, physical properties**]
- Visocky, A.P., Sherrill, M.G., and Cartwright, Keros, 1985, Geology, hydrology, and water quality of the Cambrian and Ordovician systems in northern Illinois: Illinois State Geological Survey Cooperative Ground-Water Report 10, 136 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties, water use**]
- Walton, W.C., and Csallany, Sandor, 1962, Yields of deep sandstone wells in northern Illinois: Illinois State Water Survey Report of Investigation 43, 47 p. [**hydraulic properties, lithology, physical properties, water use**]
- Walton, W.C., and Csallany, Sandor, 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 44 p. [**hydraulic properties, lithology, physical properties, water use**]
- Willman, H.B., Atherton, Elwood, Buschbach, T.C., Collinson, Charles, Frye, John C., Hopkins, M.E., Lineback, Jerry A., and Simon, Jack A., 1975, Handbook of Illinois stratigraphy: Illinois State Geological Survey Bulletin 95, 261 p. [**lithology, physical properties**]
- Willman, H.B., and Kolata, D.R., 1978, The Platteville and Galena groups in northern Illinois: Illinois State Geological Survey Circular 502, 75 p. [**lithology, physical properties**]
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Zacate, M.E., 1967, The geology of northern Illinois: Northern Illinois University, Dept. of Earth Science Master's thesis, 183 leaves. [**lithology, physical properties**]
- Lee County**
- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. [**lithology, physical properties**]
- Csallany, Sandor and Walton, W.C., 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 43 p. [**hydraulic properties, lithology, physical properties, water use**]
- Dathe, D.B., 1983, The origin of mottled dolomitic limestones in the Platteville group (Ordovician) of Northern Illinois: Northern Illinois University, Dept. of Geology, Master's thesis, 175 leaves. [**lithology, physical properties**]
- Eckblaw, G.E., 1938, Kankakee arch in Illinois: Illinois State Geological Survey Circular 40, 6 p. [**physical properties**]
- Foster, J.W., 1956, Ground-water geology of Lee and Whiteside Counties, Illinois: Illinois State Geological Survey Report of Investigations 194, 67 p. [**lithology, physical properties**]
- Gilkeson, R.H., Cartwright, K., Cowart, J.B., and Holtzman, R.B., 1983, Hydrogeologic and geochemical studies of selected natural radioisotopes and barium in ground water in Illinois: Illinois State Geological Survey Contract/Grant Report 1983-6, 93 p. [**inorganic geochemistry, lithology, physical properties**]
- Habermeyer, G.C., 1925, Public ground-water supplies in Illinois: Illinois State Water Survey Bulletin 21, 710 p. [**inorganic geochemistry, lithology, physical properties, water use**]
- Hackett, J.E., and Bergstrom, R.E., 1956, Ground water in northwestern Illinois: Illinois State Geological Survey Circular 207, 24 p. [**lithology, physical properties**]
- Hanson, Ross, 1955, Ground-water resources in Lee and Whiteside Counties: Illinois State Water Survey Report of Investigation 26, 67 p. [**inorganic geochemistry, water use**]
- Illinois State Geological Survey, 1906-present, Well data base. (Computerized data base containing well-construction and subsurface information. Call (217) 244-2387 to obtain access.) [**hydraulic properties, lithology, physical properties, water use**]
- Illinois State Geological Survey, 1906-present, Well data base. (Paper copies of well-construction and subsurface information. Call (217) 333-5109 for information.) [**hydraulic properties, lithology, physical properties, water use**]
- Kolata, D.R., Buschbach, T.C., and Treworgy, J.D., 1978, The Sandwich Fault Zone of northern Illinois: Illinois State Geological Survey Circular 505, 26 p. [**lithology, physical properties**]
- Kolata, D.R., and Graese, A.M., 1983, Lithostratigraphy and depositional environments of the Maquoketa Group (Ordovician) in northern Illinois: Illinois State Geological Survey Circular 528, 49 p. [**lithology, physical properties**]
- Krey, Frank, and Lamar, J.E., 1925, Limestone resources of Illinois: Illinois State Geological Survey Bulletin 46, 392 p. [**lithology, physical properties**]
- Kuhnenn, G.L., 1976, Carbonate microfacies of the Platteville group (Middle Ordovician) Lee and La Salle

- Counties, Illinois: University of Illinois at Urbana-Champaign Ph.D. thesis, 86 leaves. [**lithology, physical properties**]
- Lamar, J.E., 1957, Chemical analyses of Illinois limestones and dolomites: Illinois State Geological Survey Report of Investigations 200, 33 p. [**inorganic geochemistry**]
- Larson, T.H., Graese, A.M., and Orozco, P.G., 1993, Hydrogeology of the Silurian dolomite aquifer in parts of northwestern Illinois: Illinois State Geological Survey Environmental Geology 145, 29 p. [**lithology, physical properties**]
- McGinnis, L.D., Kempton, J.P., and Heigold, P.C., 1963, Relationship of gravity anomalies to a drift-filled bedrock valley system: Illinois State Geological Survey Circular 354, 24 p. [**lithology, physical properties**]
- Reed, P.C., 1974, Data from controlled drilling program in Lee and Ogle Counties, Illinois: Illinois State Geological Survey Environmental Geology Notes No. 71, 40 p. [**lithology, physical properties**]
- Russel, R.R., 1963, Ground-water levels in Illinois through 1961: Illinois State Water Survey Report of Investigation 45, 51 p. [**physical properties, water use**]
- Sasman, R.T., 1982, Water-level trends, pumpage, and chemical quality in the Cambrian-Ordovician aquifer in Illinois, 1971-1980: Illinois State Water Survey Circular 154, 64 p. [**lithology, physical properties, water use**]
- Sasman, R.T., and Baker, W.H., Jr., 1966, Ground-water pumpage in northwestern Illinois through 1963: Illinois State Water Survey Report of Investigation 52, 33 p. [**lithology, physical properties, water use**]
- Sasman, R.T., Benson, C.R., Dzurisin, G.L., and Risk, N.E., 1974, Ground-water pumpage in northern Illinois, 1960-1970: Illinois State Water Survey Report of Investigation 73, 46 p. [**physical properties, water use**]
- Siegel, D.I., 1988, Geochemistry of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-D, 76 p. [**inorganic geochemistry, lithology, physical properties**]
- Templeton, J.S., and Willman, H.B., 1952, Central northern Illinois: Illinois State Geological Survey Guidebook Series 2, 47 p. [**lithology, physical properties**]
- Templeton, J.S., and Willman, H.B., 1963, Champlainian series (Middle Ordovician) in Illinois: Illinois State Geological Survey Bulletin 89, 260 p. [**lithology, physical properties**]
- Thwaites, F.T., 1927, Stratigraphy and geologic structure of northern Illinois with special reference to underground water supplies: Illinois State Geological Survey Report of Investigations 13, 49 p. [**lithology, physical properties**]
- Visocky, A.P., Sherrill, M.G., and Cartwright, Keros, 1985, Geology, hydrology, and water quality of the Cambrian and Ordovician systems in northern Illinois: Illinois State Geological Survey Cooperative Ground-Water Report 10, 136 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties, water use**]
- Walton, W.C., and Csallany, Sandor, 1962, Yields of deep sandstone wells in northern Illinois: Illinois State Water Survey Report of Investigation 43, 47 p. [**hydraulic properties, lithology, physical properties, water use**]
- Walton, W.C., and Csallany, Sandor, 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 44 p. [**hydraulic properties, lithology, physical properties, water use**]
- Willman, H.B., 1943, High-purity dolomite in Illinois: Illinois State Geological Survey Report of Investigations 90, 89 p. [**lithology, physical properties**]
- Willman, H.B., Atherton, Elwood, Buschbach, T.C., Collinson, Charles, Frye, John C., Hopkins, M.E., Lineback, Jerry A., and Simon, Jack A., 1975, Handbook of Illinois stratigraphy: Illinois State Geological Survey Bulletin 95, 261 p. [**lithology, physical properties**]
- Willman, H.B., and Kolata, D.R., 1978, The Platteville and Galena groups in northern Illinois: Illinois State Geological Survey Circular 502, 75 p. [**lithology, physical properties**]
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Zacate, M.E., 1967, The geology of northern Illinois: Northern Illinois University, Dept. of Earth Science Master's thesis, 183 leaves. [**lithology, physical properties**]

## McHenry County

- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. [**lithology, physical properties**]
- Buschbach, T.C., 1964, Cambrian and Ordovician strata of northeastern Illinois: Illinois State Geological Survey Report of Investigations 218, 90 p. [**lithology, physical properties**]

- Csallany, Sandor and Walton, W.C., 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 43 p. [**hydraulic properties, lithology, physical properties, water use**]
- Gilkeson, R.H., Cartwright, K., Cowart, J.B., and Holtzman, R.B., 1983, Hydrogeologic and geochemical studies of selected natural radioisotopes and barium in ground water in Illinois: Illinois State Geological Survey Contract/Grant Report 1983-6, 93 p. [**inorganic geochemistry, lithology, physical properties**]
- Habermeyer, G.C., 1925, Public ground-water supplies in Illinois: Illinois State Water Survey Bulletin 21, 710 p. [**inorganic geochemistry, lithology, physical properties, water use**]
- Hackett, J.E., and McComas, M.R., 1969, Geology for planning in McHenry County: Illinois State Geological Survey Circular 438, 29 p. [**hydraulic properties, lithology, physical properties**]
- Hughes, G.M., Kraatz, Paul, and Landon, R.A., 1966, Bedrock aquifers of northeastern Illinois: Illinois State Geological Survey Circular 406, 15 p. [**lithology, physical properties**]
- Illinois State Geological Survey, 1906-present, Well data base. (Computerized data base containing well-construction and subsurface information. Call (217) 244-2387 to obtain access.) [**hydraulic properties, lithology, physical properties, water use**]
- Illinois State Geological Survey, 1906-present, Well data base. (Paper copies of well-construction and subsurface information. Call (217) 333-5109 for information.) [**hydraulic properties, lithology, physical properties, water use**]
- Kolata, D.R., and Graese, A.M., 1983, Lithostratigraphy and depositional environments of the Maquoketa Group (Ordovician) in northern Illinois: Illinois State Geological Survey Circular 528, 49 p. [**lithology, physical properties**]
- Krey, Frank, and Lamar, J.E., 1925, Limestone resources of Illinois: Illinois State Geological Survey Bulletin 46, 392 p. [**lithology, physical properties**]
- Lund, C.R., 1965, Data from controlled drilling program in McHenry County: Illinois State Geological Survey Environmental Geology Notes No. 7, 64 p. [**lithology, physical properties**]
- McGinnis, L.D., Kempton, J.P., and Heigold, P.C., 1963, Relationship of gravity anomalies to a drift-filled bedrock valley system: Illinois State Geological Survey Circular 354, 24 p. [**lithology, physical properties**]
- Russel, R.R., 1963, Ground-water levels in Illinois through 1961: Illinois State Water Survey Report of Investigation 45, 51 p. [**physical properties, water use**]
- Sasman, R.T., 1982, Water-level trends, pumpage, and chemical quality in the Cambrian-Ordovician aquifer in Illinois, 1971-1980: Illinois State Water Survey Circular 154, 64 p. [**lithology, physical properties, water use**]
- Sasman, R.T., Benson, C.R., Dzurisin, G.L., and Risk, N.E., 1974, Ground-water pumpage in northern Illinois, 1960-1970: Illinois State Water Survey Report of Investigation 73, 46 p. [**physical properties, water use**]
- Siegel, D.I., 1988, Geochemistry of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-D, 76 p. [**inorganic geochemistry, lithology, physical properties**]
- Suter, Max, Bergstrom, R.E., Smith, H.F., Emrich, G.H., Walton, W.C., and Larson, T.E., 1959, Summary: Preliminary report on the ground-water resources of the Chicago region, Illinois: Illinois State Geological Survey Cooperative Ground-Water Report 1-S, 18 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties, water use**]
- Templeton, J.S., and Willman, H.B., 1963, Champlainian series (Middle Ordovician) in Illinois: Illinois State Geological Survey Bulletin 89, 260 p. [**lithology, physical properties**]
- Thwaites, F.T., 1927, Stratigraphy and geologic structure of northern Illinois with special reference to underground water supplies: Illinois State Geological Survey Report of Investigations 13, 49 p. [**lithology, physical properties**]
- Visocky, A.P., Sherrill, M.G., and Cartwright, Keros, 1985, Geology, hydrology, and water quality of the Cambrian and Ordovician systems in northern Illinois: Illinois State Geological Survey Cooperative Ground-Water Report 10, 136 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties, water use**]
- Walton, W.C., 1965, Ground-water recharge and runoff in Illinois: Illinois State Water Survey Report of Investigation 48, 55 p. [**lithology, physical properties**]
- Walton, W.C., and Csallany, Sandor, 1962, Yields of deep sandstone wells in northern Illinois: Illinois State Water Survey Report of Investigation 43, 47 p. [**hydraulic properties, lithology, physical properties, water use**]
- Walton, W.C., and Csallany, Sandor, 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 44 p. [**hydraulic properties, lithology, physical properties, water use**]
- Willman, H.B., 1971, Summary of the geology of the Chicago area: Illinois State Geological Survey Circular 460, 77 p. [**lithology, physical properties**]
- Willman, H.B., Atherton, Elwood, Buschbach, T.C., Collinson, Charles, Frye, John C., Hopkins, M.E., Lineback, Jerry A., and Simon, Jack A., 1975, Handbook of Illinois stratigraphy: Illinois State Geological Survey Bulletin 95, 261 p. [**lithology, physical properties**]

- Willman, H.B., and Kolata, D.R., 1978, The Platteville and Galena groups in northern Illinois: Illinois State Geological Survey Circular 502, 75 p. [**lithology, physical properties**]
- Woller, D.M., and Sanderson, E.W., 1976, Public ground-water supplies in McHenry County: Illinois State Water Survey Bulletin 60-19, 52 p. [**inorganic geochemistry, lithology, physical properties, water use**]
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Zacate, M.E., 1967, The geology of northern Illinois: Northern Illinois University, Dept. of Earth Science Master's thesis, 183 leaves. [**lithology, physical properties**]
- ### Ogle County
- Avery, C., 1994, Interaction of ground water with the Rock River near Byron, Illinois: U.S. Geological Survey Water-Resources Investigations Report 94-4034, 22 p. [**hydraulic properties, inorganic geochemistry, lithology, organic geochemistry**]
- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. [**lithology, physical properties**]
- Bevan, A.C., 1926, The Glenwood beds as a horizon marker at the base of the Platteville formation: Illinois State Geological Survey Report of Investigations 9, 13 p. [**lithology, physical properties**]
- Camp, Dresser and McKee, 1988, Remedial investigation report for Byron Johnson Salvage Yard, Byron, Illinois: Chicago, Illinois [variously paged]. [**geophysical properties, hydraulic properties, inorganic geochemistry, lithology, organic geochemistry, physical properties, water use**]
- Csallany, Sandor and Walton, W.C., 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 43 p. [**hydraulic properties, lithology, physical properties, water use**]
- D'Appolonia Waste Management Services, 1984, Remedial action, Byron/Johnson site, Byron, Illinois: Feasibility study prepared for Illinois Environmental Protection Agency, Division of Land Pollution Control, Springfield, Illinois, 65 p. [**inorganic geochemistry, lithology, organic geochemistry, physical properties**]
- Ekblaw, G.E., 1938, Kankakee arch in Illinois: Illinois State Geological Survey Circular 40, 6 p. [**physical properties**]
- Environmental Resources Management, 1990, Final report soil and ground water investigation of Dirk's Farm, Byron, Illinois: Report on file at the U.S. Environmental Protection Agency [variously paged]. [**inorganic geochemistry, lithology, organic geochemistry, physical properties**]
- Foote, G.R., 1982, Fracture analysis in northeastern Illinois and northern Indiana: University of Illinois at Urbana-Champaign, Master's thesis, 193 p. [**lithology, physical properties**]
- Gibb, J.P., 1984, Hazardous waste in Ogle and Winnebago Counties: Potential risk via groundwater due to past and present activities: Illinois State Water Survey Contract Report 336, 66 p. [**lithology, physical properties, water use**]
- Gilkeson, R.H., Cartwright, K., Cowart, J.B., and Holtzman, R.B., 1983, Hydrogeologic and geochemical studies of selected natural radioisotopes and barium in ground water in Illinois: Illinois State Geological Survey Contract/Grant Report 1983-6, 93 p. [**inorganic geochemistry, lithology, physical properties**]
- Habermeyer, G.C., 1925, Public ground-water supplies in Illinois: Illinois State Water Survey Bulletin 21, 710 p. [**inorganic geochemistry, lithology, physical properties, water use**]
- Hackett, J.E., and Bergstrom, R.E., 1956, Ground water in northwestern Illinois: Illinois State Geological Survey Circular 207, 24 p. [**lithology, physical properties**]
- Illinois State Geological Survey, 1906-present, Well data base. (Computerized data base containing well-construction and subsurface information. Call (217) 244-2387 to obtain access.) [**hydraulic properties, lithology, physical properties, water use**]
- Illinois State Geological Survey, 1906-present, Well data base. (Paper copies of well-construction and subsurface information. Call (217) 333-5109 for information.) [**hydraulic properties, lithology, physical properties, water use**]
- Kay, R.T., Olsen, D.N., and Ryan, B.J., 1989, Hydrogeology and results of an aquifer test in the vicinity of a hazardous-waste disposal site near Byron, Ill.: U.S. Geological Survey Water-Resources Investigations Report 89-4081, 62 p. [**geophysical properties, hydraulic properties, lithology, physical properties**]
- Kay, R.T., Yeskis, D.J., Bolen, W.I., Rauman, J.R., and Prinos, S.T., 1997, Geology, hydrology, and ground-water quality at the Byron Superfund site near Byron, Illinois: U.S. Geological Survey Water-Resources Investigations Report 95-4240, 83 p. [**geophysical**]

**properties, hydraulic properties, inorganic geochemistry, lithology, organic geochemistry, physical properties]**

- Kolata, D.R., 1986, K-bentonites of the Ordovician Decorah Subgroup, Upper Mississippi Valley: correlation by chemical fingerprinting: Illinois State Geological Survey Circular 537, 30 p. [**lithology, physical properties**]
- Kolata, D.R., and Buschbach, T.C., 1976, Plum River Fault Zone of northwestern Illinois: Illinois State Geological Survey Circular 491, 20 p. [**lithology, physical properties**]
- Kolata, D.R., Buschbach, T.C., and Treworgy, J.D., 1978, The Sandwich Fault Zone of northern Illinois: Illinois State Geological Survey Circular 505, 26 p. [**lithology, physical properties**]
- Kolata, D.R., and Graese, A.M., 1983, Lithostratigraphy and depositional environments of the Maquoketa Group (Ordovician) in northern Illinois: Illinois State Geological Survey Circular 528, 49 p. [**lithology, physical properties**]
- Krey, Frank, and Lamar, J.E., 1925, Limestone resources of Illinois: Illinois State Geological Survey Bulletin 46, 392 p. [**lithology, physical properties**]
- Lamar, J.E., 1957, Chemical analyses of Illinois limestones and dolomites: Illinois State Geological Survey Report of Investigations 200, 33 p. [**inorganic geochemistry**]
- McGinnis, L.D., Kempton, J.P., and Heigold, P.C., 1963, Relationship of gravity anomalies to a drift-filled bedrock valley system: Illinois State Geological Survey Circular 354, 24 p. [**lithology, physical properties**]
- Paillet, F.L., Kay, R.T., Yeskis, D.J., and Pedlar, W.H., 1993, Integrating well logs into a multiple-scale investigation of a fractured sedimentary aquifer: The Log Analyst, v. 34, no. 1, p. 24-40. [**geophysical properties, hydraulic properties, physical properties**]
- Piskin, Rauf, 1976, Report on disposal of toxic wastes at Byron Salvage Yard: Illinois Environmental Protection Agency, Division of L/NPC, Land Unit, 197 p. [**inorganic geochemistry, lithology, physical properties**]
- Reed, P.C., 1974, Data from controlled drilling program in Lee and Ogle Counties, Illinois: Illinois State Geological Survey Environmental Geology Notes No. 71, 40 p. [**lithology, physical properties**]
- Reinertsen, D.L., 1990, Guide to the geology of the Oregon area, Ogle County: Illinois State Geological Survey Guide Leaflet 1990-C, 47 p. [**lithology, physical properties**]
- Reinertsen, D.L., Cote, W.E., and Wilson, G.M., 1966, Guide Leaflet: Geological science field trip, Byron area, Ogle and Winnebago Counties: Oregon and Kings quadrangles: Illinois State Geological Survey Guide Leaflet 1966-C, 16 p. [**lithology, physical properties**]
- Russel, R.R., 1963, Ground-water levels in Illinois through 1961: Illinois State Water Survey Report of Investigation 45, 51 p. [**physical properties, water use**]
- Sargent and Lundy, Inc., and Dames & Moore, Inc., 1975, Fault specific geotechnical investigations, Byron Station: Engineering Report: Chicago, Illinois, 40 p. [**physical properties**]
- Sasman, R.T., 1982, Water-level trends, pumpage, and chemical quality in the Cambrian-Ordovician aquifer in Illinois, 1971-1980: Illinois State Water Survey Circular 154, 64 p. [**lithology, physical properties, water use**]
- Sasman, R.T., and Baker, W.H., Jr., 1966, Ground-water pumpage in northwestern Illinois through 1963: Illinois State Water Survey Report of Investigation 52, 33 p. [**lithology, physical properties, water use**]
- Sasman, R.T., Benson, C.R., Dzurisin, G.L., and Risk, N.E., 1974, Ground-water pumpage in northern Illinois, 1960-1970: Illinois State Water Survey Report of Investigation 73, 46 p. [**physical properties, water use**]
- Siegel, D.I., 1988, Geochemistry of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-D, 76 p. [**inorganic geochemistry, lithology, physical properties**]
- Templeton, J.S., and Willman, H.B., 1963, Champlainian series (Middle Ordovician) in Illinois: Illinois State Geological Survey Bulletin 89, 260 p. [**lithology, physical properties**]
- Thwaites, F.T., 1927, Stratigraphy and geologic structure of northern Illinois with special reference to underground water supplies: Illinois State Geological Survey Report of Investigations 13, 49 p. [**lithology, physical properties**]
- U.S. Environmental Protection Agency, 1994, Byron Salvage Yard/Dirk's Farm Property, Byron, Illinois, Remedial investigation report: U.S. Environmental Protection Agency [variously paged]. [**geophysical properties, hydraulic properties, inorganic geochemistry, lithology, organic geochemistry, physical properties, water use**]
- Visocky, A.P., Sherrill, M.G., and Cartwright, Keros, 1985, Geology, hydrology, and water quality of the Cambrian and Ordovician systems in northern Illinois: Illinois State Geological Survey Cooperative Ground-Water Report 10, 136 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties, water use**]
- Walton, W.C., and Csallany, Sandor, 1962, Yields of deep sandstone wells in northern Illinois: Illinois State Water Survey Report of Investigation 43, 47 p. [**hydraulic properties, lithology, physical properties, water use**]
- Walton, W.C., and Csallany, Sandor, 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water

- Survey Report of Investigation 46, 44 p. [**hydraulic properties, lithology, physical properties, water use**]
- Willman, H.B., 1943, High-purity dolomite in Illinois: Illinois State Geological Survey Report of Investigations 90, 89 p. [**lithology, physical properties**]
- Willman, H.B., Atherton, Elwood, Buschbach, T.C., Collinson, Charles, Frye, John C., Hopkins, M.E., Lineback, Jerry A., and Simon, Jack A., 1975, Handbook of Illinois stratigraphy: Illinois State Geological Survey Bulletin 95, 261 p. [**lithology, physical properties**]
- Willman, H.B., and Kolata, D.R., 1978, The Platteville and Galena groups in northern Illinois: Illinois State Geological Survey Circular 502, 75 p. [**lithology, physical properties**]
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Zacate, M.E., 1967, The geology of northern Illinois: Northern Illinois University, Dept. of Earth Science Master's thesis, 183 leaves. [**lithology, physical properties**]
- Stephenson County**
- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. [**lithology, physical properties**]
- Csallany, Sandor and Walton, W.C., 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 43 p. [**hydraulic properties, lithology, physical properties, water use**]
- Doyle, F.L., 1965, Geology of Freeport Quadrangle, Illinois: Illinois State Geological Survey Circular 395, 24 p. [**lithology, physical properties**]
- Gilkeson, R.H., Cartwright, K., Cowart, J.B., and Holtzman, R.B., 1983, Hydrogeologic and geochemical studies of selected natural radioisotopes and barium in ground water in Illinois: Illinois State Geological Survey Contract/Grant Report 1983-6, 93 p. [**inorganic geochemistry, lithology, physical properties**]
- Habermeyer, G.C., 1925, Public ground-water supplies in Illinois: Illinois State Water Survey Bulletin 21, 710 p. [**inorganic geochemistry, lithology, physical properties, water use**]
- Hackett, J.E., and Bergstrom, R.E., 1956, Ground water in northwestern Illinois: Illinois State Geological Survey Circular 207, 24 p. [**lithology, physical properties**]
- Hanson, Ross, 1958, New public ground-water supplies in Illinois, 1950-1957: Illinois State Water Survey Supplement to Bulletin 40 [variously paged]. [**inorganic geochemistry, lithology, physical properties, water use**]
- Illinois State Geological Survey, 1906-present, Well data base. (Computerized data base containing well-construction and subsurface information. Call (217) 244-2387 to obtain access.) [**hydraulic properties, lithology, physical properties, water use**]
- Illinois State Geological Survey, 1906-present, Well data base. (Paper copies of well-construction and subsurface information. Call (217) 333-5109 for information.) [**hydraulic properties, lithology, physical properties, water use**]
- Kolata, D.R., 1986, K-bentonites of the Ordovician Decorah Subgroup, Upper Mississippi Valley: correlation by chemical fingerprinting: Illinois State Geological Survey Circular 537, 30 p. [**lithology, physical properties**]
- Kolata, D.R., and Graese, A.M., 1983, Lithostratigraphy and depositional environments of the Maquoketa Group (Ordovician) in northern Illinois: Illinois State Geological Survey Circular 528, 49 p. [**lithology, physical properties**]
- Krey, Frank, and Lamar, J.E., 1925, Limestone resources of Illinois: Illinois State Geological Survey Bulletin 46, 392 p. [**lithology, physical properties**]
- Lamar, J.E., 1957, Chemical analyses of Illinois limestones and dolomites: Illinois State Geological Survey Report of Investigations 200, 33 p. [**inorganic geochemistry**]
- Sasman, R.T., 1982, Water-level trends, pumpage, and chemical quality in the Cambrian-Ordovician aquifer in Illinois, 1971-1980: Illinois State Water Survey Circular 154, 64 p. [**lithology, physical properties, water use**]
- Sasman, R.T., and Baker, W.H., Jr., 1966, Ground-water pumpage in northwestern Illinois through 1963: Illinois State Water Survey Report of Investigation 52, 33 p. [**lithology, physical properties, water use**]
- Sasman, R.T., Benson, C.R., Dzurisin, G.L., and Risk, N.E., 1974, Ground-water pumpage in northern Illinois, 1960-1970: Illinois State Water Survey Report of Investigation 73, 46 p. [**physical properties, water use**]
- Shaw, T.H., and Sargent, M.L., 1989, Catalog of cores from the sub-Galena Group in Illinois: Illinois State Geological Survey Illinois Petroleum 132, 30 p. [**physical properties**]

- Siegel, D.I., 1988, Geochemistry of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-D, 76 p. [**inorganic geochemistry, lithology, physical properties**]
- Templeton, J.S., and Willman, H.B., 1963, Champlainian series (Middle Ordovician) in Illinois: Illinois State Geological Survey Bulletin 89, 260 p. [**lithology, physical properties**]
- Thwaites, F.T., 1927, Stratigraphy and geologic structure of northern Illinois with special reference to underground water supplies: Illinois State Geological Survey Report of Investigations 13, 49 p. [**lithology, physical properties**]
- Visocky, A.P., Sherrill, M.G., and Cartwright, Keros, 1985, Geology, hydrology, and water quality of the Cambrian and Ordovician systems in northern Illinois: Illinois State Geological Survey Cooperative Ground-Water Report 10, 136 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties, water use**]
- Walton, W.C., and Csallany, Sandor, 1962, Yields of deep sandstone wells in northern Illinois: Illinois State Water Survey Report of Investigation 43, 47 p. [**hydraulic properties, lithology, physical properties, water use**]
- Walton, W.C., and Csallany, Sandor, 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 44 p. [**hydraulic properties, lithology, physical properties, water use**]
- Willman, H.B., Atherton, Elwood, Buschbach, T.C., Collinson, Charles, Frye, John C., Hopkins, M.E., Lineback, Jerry A., and Simon, Jack A., 1975, Handbook of Illinois stratigraphy: Illinois State Geological Survey Bulletin 95, 261 p. [**lithology, physical properties**]
- Willman, H.B., and Kolata, D.R., 1978, The Platteville and Galena groups in northern Illinois: Illinois State Geological Survey Circular 502, 75 p. [**lithology, physical properties**]
- Wilson, G.M., Reinertsen, D.L., Cote, W.E., 1966, Guide leaflet, Geological science field trip: Freeport area: Stephenson County, Freeport, Lena, and Pecatonica quadrangles: Illinois State Geological Survey Guide Leaflet 1966-D, 17 p. [**lithology, physical properties**]
- Woller, D.M., Kunz, K.L., and Sanderson, E.W., 1984, Public ground-water supplies in Stephenson County: Illinois State Water Survey Bulletin 60-30, 27 p. [**inorganic geochemistry, lithology, physical properties, water use**]
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Zacate, M.E., 1967, The geology of northern Illinois: Northern Illinois University, Dept. of Earth Science Master's thesis, 183 leaves. [**lithology, physical properties**]

## Whiteside County

- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. [**lithology, physical properties**]
- Csallany, Sandor and Walton, W.C., 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 43 p. [**hydraulic properties, lithology, physical properties, water use**]
- Foster, J.W., 1956, Ground-water geology of Lee and Whiteside Counties, Illinois: Illinois State Geological Survey Report of Investigations 194, 67 p. [**lithology, physical properties**]
- Gilkeson, R.H., Cartwright, K., Cowart, J.B., and Holtzman, R.B., 1983, Hydrogeologic and geochemical studies of selected natural radioisotopes and barium in ground water in Illinois: Illinois State Geological Survey Contract/Grant Report 1983-6, 93 p. [**inorganic geochemistry, lithology, physical properties**]
- Habermeyer, G.C., 1925, Public ground-water supplies in Illinois: Illinois State Water Survey Bulletin 21, 710 p. [**inorganic geochemistry, lithology, physical properties, water use**]
- Hackett, J.E., and Bergstrom, R.E., 1956, Ground water in northwestern Illinois: Illinois State Geological Survey Circular 207, 24 p. [**lithology, physical properties**]
- Hanson, Ross, 1955, Ground-water resources in Lee and Whiteside Counties: Illinois State Water Survey Report of Investigation 26, 67 p. [**inorganic geochemistry, water use**]
- Illinois State Geological Survey, 1906-present, Well data base. (Computerized data base containing well-construction and subsurface information. Call (217) 244-2387 to obtain access.) [**hydraulic properties, lithology, physical properties, water use**]
- Illinois State Geological Survey, 1906-present, Well data base. (Paper copies of well-construction and subsurface information. Call (217) 333-5109 for information.) [**hydraulic properties, lithology, physical properties, water use**]

- Kolata, D.R., and Graese, A.M., 1983, Lithostratigraphy and depositional environments of the Maquoketa Group (Ordovician) in northern Illinois: Illinois State Geological Survey Circular 528, 49 p. [**lithology, physical properties**]
- Krey, Frank, and Lamar, J.E., 1925, Limestone resources of Illinois: Illinois State Geological Survey Bulletin 46, 392 p. [**lithology, physical properties**]
- Lamar, J.E., 1957, Chemical analyses of Illinois limestones and dolomites: Illinois State Geological Survey Report of Investigations 200, 33 p. [**inorganic geochemistry**]
- Larson, T.H., Graese, A.M., and Orozco, P.G., 1993, Hydrogeology of the Silurian dolomite aquifer in parts of northwestern Illinois: Illinois State Geological Survey Environmental Geology 145, 29 p. [**lithology, physical properties**]
- Sasman, R.T., 1982, Water-level trends, pumpage, and chemical quality in the Cambrian-Ordovician aquifer in Illinois, 1971-1980: Illinois State Water Survey Circular 154, 64 p. [**lithology, physical properties, water use**]
- Sasman, R.T., and Baker, W.H., Jr., 1966, Ground-water pumpage in northwestern Illinois through 1963: Illinois State Water Survey Report of Investigation 52, 33 p. [**lithology, physical properties, water use**]
- Sasman, R.T., Benson, C.R., Dzurisin, G.L., and Risk, N.E., 1974, Ground-water pumpage in northern Illinois, 1960-1970: Illinois State Water Survey Report of Investigation 73, 46 p. [**physical properties, water use**]
- Siegel, D.I., 1988, Geochemistry of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-D, 76 p. [**inorganic geochemistry, lithology, physical properties**]
- Templeton, J.S., and Willman, H.B., 1963, Champlainian series (Middle Ordovician) in Illinois: Illinois State Geological Survey Bulletin 89, 260 p. [**lithology, physical properties**]
- Thwaites, F.T., 1927, Stratigraphy and geologic structure of northern Illinois with special reference to underground water supplies: Illinois State Geological Survey Report of Investigations 13, 49 p. [**lithology, physical properties**]
- Visocky, A.P., Sherrill, M.G., and Cartwright, Keros, 1985, Geology, hydrology, and water quality of the Cambrian and Ordovician systems in northern Illinois: Illinois State Geological Survey Cooperative Ground-Water Report 10, 136 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties, water use**]
- Walton, W.C., and Csallany, Sandor, 1962, Yields of deep sandstone wells in northern Illinois: Illinois State Water Survey Report of Investigation 43, 47 p. [**hydraulic properties, lithology, physical properties, water use**]
- Walton, W.C., and Csallany, Sandor, 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 44 p. [**hydraulic properties, lithology, physical properties, water use**]
- Willman, H.B., 1943, High-purity dolomite in Illinois: Illinois State Geological Survey Report of Investigations 90, 89 p. [**lithology, physical properties**]
- Willman, H.B., Atherton, Elwood, Buschbach, T.C., Collinson, Charles, Frye, John C., Hopkins, M.E., Lineback, Jerry A., and Simon, Jack A., 1975, Handbook of Illinois stratigraphy: Illinois State Geological Survey Bulletin 95, 261 p. [**lithology, physical properties**]
- Willman, H.B., and Kolata, D.R., 1978, The Platteville and Galena groups in northern Illinois: Illinois State Geological Survey Circular 502, 75 p. [**lithology, physical properties**]
- Wilson, G.M., Reinertsen, D.L., Cote, W.E., 1964, Guide leaflet, Geological science field trip, Morrison area, Whiteside County, Morrison and Clinton quadrangles: Illinois State Geological Survey Guide Leaflet 1964-D, 14 leaves. [**lithology, physical properties**]
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Zacate, M.E., 1967, The geology of northern Illinois: Northern Illinois University, Dept. of Earth Science Master's thesis, 183 leaves. [**lithology, physical properties**]

## Winnebago County

- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. [**lithology, physical properties**]
- Berg, R.C., Kempton, J.P., and Stecyk, A.N., 1984, Geology for planning in Boone and Winnebago Counties: Illinois State Geological Survey Circular 531, 69 p. [**hydraulic properties, lithology, physical properties**]
- Camp Dresser & McKee, Inc., 1992, Technical Memorandum for phase I field activities: Southeast Rockford ground-water contamination project: Chicago, Illinois [variously paged]. [**hydraulic properties, inorganic**]

- geochemistry, lithology, organic geochemistry, physical properties]**
- Camp Dresser & McKee, Inc., 1994, Remedial investigation report: Southeast Rockford ground-water contamination study: Chicago, Illinois [variously paged]. **[hydraulic properties, inorganic geochemistry, lithology, organic geochemistry, physical properties]**
- Csallany, Sandor and Walton, W.C., 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 43 p. **[hydraulic properties, lithology, physical properties, water use]**
- E.C. Jordan Co., 1984, ACME Solvents superfund site, Winnebago County, Illinois: Report on file at the Illinois Environmental Protection Agency, 127 p. **[inorganic geochemistry, lithology, organic geochemistry, physical properties]**
- Ecology and Environment, Inc., 1983, Extent of sources of groundwater contamination - ACME Solvents/Pagel's Pit area near Morristown, Illinois: Report on file at the Illinois Environmental Protection Agency, 45 p. **[inorganic geochemistry, lithology, organic geochemistry, physical properties]**
- 1990, Hydrogeologic report for Rockford-Tipton, Rockford, Illinois: Report on file at the U.S. Environmental Protection Agency [variously paged]. **[inorganic geochemistry, lithology, organic geochemistry, physical properties]**
- Foote, G.R., 1982, Fracture analysis in northeastern Illinois and northern Indiana: University of Illinois at Urbana-Champaign, Master's thesis, 193 p. **[lithology, physical properties]**
- Gibb, J.P., 1984, Hazardous waste in Ogle and Winnebago Counties: Potential risk via groundwater due to past and present activities: Illinois State Water Survey Contract Report 336, 66 p. **[lithology, physical properties, water use]**
- Gilkeson, R.H., Cartwright, K., Cowart, J.B., and Holtzman, R.B., 1983, Hydrogeologic and geochemical studies of selected natural radioisotopes and barium in ground water in Illinois: Illinois State Geological Survey Contract/Grant Report 1983-6, 93 p. **[inorganic geochemistry, lithology, physical properties]**
- Habermeyer, G.C., 1925, Public ground-water supplies in Illinois: Illinois State Water Survey Bulletin 21, 710 p. **[inorganic geochemistry, lithology, physical properties, water use]**
- Hackett, J.E., 1960, Ground-water geology of Winnebago County, Illinois: Illinois State Geological Survey Report of Investigations 213, 63 p. **[lithology, physical properties]**
- Hackett, J.E., and Bergstrom, R.E., 1956, Ground water in northwestern Illinois: Illinois State Geological Survey Circular 207, 24 p. **[lithology, physical properties]**
- Hanson, Ross, 1958, New public ground-water supplies in Illinois, 1950-1957: Illinois State Water Survey Supplement to Bulletin 40 [variously paged]. **[inorganic geochemistry, lithology, physical properties, water use]**
- Harding-Lawson Associates, 1990, Supplemental technical investigation, ACME Solvents site, Winnebago County Illinois: U.S. Environmental Protection Agency, 456 p. **[geophysical properties, hydraulic properties, inorganic geochemistry, lithology, organic geochemistry]**
- Illinois State Geological Survey, 1906-present, Well data base. (Computerized data base containing well-construction and subsurface information. Call (217) 244-2387 to obtain access.) **[hydraulic properties, lithology, physical properties, water use]**
- Illinois State Geological Survey, 1906-present, Well data base. (Paper copies of well-construction and subsurface information. Call (217) 333-5109 for information.) **[hydraulic properties, lithology, physical properties, water use]**
- Kay, R.T., Prinos, S.T., and Paillet, F.L., 1994, Geohydrology and ground-water quality in the vicinity of a ground-water-contamination site in Rockford, Illinois: U.S. Geological Survey Water-Resources Investigations Report 93-4187, 28 p. **[geophysical properties, hydraulic properties, lithology, organic geochemistry, physical properties]**
- Krey, Frank, and Lamar, J.E., 1925, Limestone resources of Illinois: Illinois State Geological Survey Bulletin 46, 392 p. **[lithology, physical properties]**
- Lamar, J.E., 1957, Chemical analyses of Illinois limestones and dolomites: Illinois State Geological Survey Report of Investigations 200, 33 p. **[inorganic geochemistry]**
- McGinnis, L.D., Kempton, J.P., and Heigold, P.C., 1963, Relationship of gravity anomalies to a drift-filled bedrock valley system: Illinois State Geological Survey Circular 354, 24 p. **[lithology, physical properties]**
- Otto, S., Michaud, G., and Morse, J., 1988, Investigation of volatile organic chemical contamination in ground water near Rockton, Illinois: Illinois Environmental Protection Agency, Springfield. Division of Land Pollution Control Report No. IEPA/DLPC-87/014 [variously paged]. **[organic geochemistry, physical properties]**
- Reinertsen, D.L., Cote, W.E., and Wilson, G.M., 1966, Guide Leaflet: Geological science field trip, Byron area, Ogle and Winnebago Counties: Oregon and Kings quadrangles: Illinois State Geological Survey Guide Leaflet 1966-C, 16 p. **[lithology, physical properties]**
- Reinertsen, D.L., Berggren, D.J., and Killey, M.M., 1973, Guide leaflet, Geological science field trip, Rockton area, Winnebago County, Rockford 15-minute quadrangle: Illinois State Geological Survey Guide Leaflet 1974-B, 24 p. **[lithology, physical properties]**

- Russel, R.R., 1963, Ground-water levels in Illinois through 1961: Illinois State Water Survey Report of Investigation 45, 51 p. [**physical properties, water use**]
- Sasman, R.T., 1982, Water-level trends, pumpage, and chemical quality in the Cambrian-Ordovician aquifer in Illinois, 1971-1980: Illinois State Water Survey Circular 154, 64 p. [**lithology, physical properties, water use**]
- Sasman, R.T., and Baker, W.H., Jr., 1966, Ground-water pumpage in northwestern Illinois through 1963: Illinois State Water Survey Report of Investigation 52, 33 p. [**lithology, physical properties, water use**]
- Sasman, R.T., Benson, C.R., Dzurisin, G.L., and Risk, N.E., 1974, Ground-water pumpage in northern Illinois, 1960-1970: Illinois State Water Survey Report of Investigation 73, 46 p. [**physical properties, water use**]
- Siegel, D.I., 1988, Geochemistry of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-D, 76 p. [**inorganic geochemistry, lithology, physical properties**]
- Smith, H.F., and Larson, T.E., 1948, Groundwater resources in Winnebago County: with specific reference to conditions at Rockford: Illinois State Water Survey Report of Investigation 2, 35 p. [**hydraulic properties, inorganic geochemistry, physical properties, water use**]
- Templeton, J.S., and Willman, H.B., 1963, Champlainian series (Middle Ordovician) in Illinois: Illinois State Geological Survey Bulletin 89, 260 p. [**lithology, physical properties**]
- Thwaites, F.T., 1927, Stratigraphy and geologic structure of northern Illinois with special reference to underground water supplies: Illinois State Geological Survey Report of Investigations 13, 49 p. [**lithology, physical properties**]
- U.S. Environmental Protection Agency, 1986, Geophysical investigation report for Tipton Dump Rockford, Illinois: U.S. Environmental Protection Agency Hazardous Site Control Division [variously paged]. [**geophysical properties, lithology, physical properties**]
- Visocky, A.P., Sherrill, M.G., and Cartwright, Keros, 1985, Geology, hydrology, and water quality of the Cambrian and Ordovician systems in northern Illinois: Illinois State Geological Survey Cooperative Ground-Water Report 10, 136 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties, water use**]
- Walton, W.C., and Csallany, Sandor, 1962, Yields of deep sandstone wells in northern Illinois: Illinois State Water Survey Report of Investigation 43, 47 p. [**hydraulic properties, lithology, physical properties, water use**]
- Walton, W.C., and Csallany, Sandor, 1963, Yields of shallow dolomite wells in northern Illinois: Illinois State Water Survey Report of Investigation 46, 44 p. [**hydraulic properties, lithology, physical properties, water use**]
- Warzyn Engineering, Inc., 1985, Supplemental investigation, Winnebago Reclamation landfill, Rockford, Illinois: Chicago, Illinois, 643 p. [**inorganic geochemistry, lithology, organic geochemistry, physical properties**]
- 1989, Interim groundwater quality evaluation, Winnebago Reclamation landfill, Rockford, Illinois: Chicago, Illinois, 576 p. [**hydraulic properties, inorganic geochemistry, lithology, organic geochemistry, physical properties**]
- 1990, Remedial Investigation Winnebago reclamation landfill Rockford, Illinois: Chicago, Illinois [variously paged]. [**hydraulic properties, inorganic geochemistry, lithology, organic geochemistry, physical properties**]
- Wehrmann, H.A., 1984, An investigation of a volatile organic chemical plume in northern Winnebago County, Ill.: Illinois State Water Survey, Champaign, Ill., 83 p. [**lithology, organic geochemistry, physical properties**]
- Wehrmann, H.A., Holm, T.R., Le Seur, L.P., Curtiss, C.D., and Stecyk, A.N., 1988, A regional ground-water quality characterization of the Rockford area, Winnebago County, Illinois: Illinois Hazardous Waste Research and Information Center Research Report 027, 114 p. [**inorganic geochemistry, lithology, organic geochemistry, physical properties**]
- Willman, H.B., 1943, High-purity dolomite in Illinois: Illinois State Geological Survey Report of Investigations 90, 89 p. [**lithology, physical properties**]
- Willman, H.B., Atherton, Elwood, Buschbach, T.C., Collinson, Charles, Frye, John C., Hopkins, M.E., Lineback, Jerry A., and Simon, Jack A., 1975, Handbook of Illinois stratigraphy: Illinois State Geological Survey Bulletin 95, 261 p. [**lithology, physical properties**]
- Willman, H.B., and Kolata, D.R., 1978, The Platteville and Galena groups in northern Illinois: Illinois State Geological Survey Circular 502, 75 p. [**lithology, physical properties**]
- Workman, L.E., 1938, The preglacial Rock River valley as a source of ground water for Rockford: Illinois State Geological Survey Circular 36, 3 p. [**lithology, physical properties**]
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey

Professional Paper 1405-B, 99 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]

Zacate, M.E., 1967, The geology of northern Illinois: Northern Illinois University, Dept. of Earth Science Master's thesis, 183 leaves. [**lithology, physical properties**]

## Wisconsin

### Brown County

Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. [**lithology, physical properties**]

Cannestra, R.B., 1994, Digital simulation of ground-water flow along the western shoreline of Green Bay in Wisconsin: University of Wisconsin, Master's thesis, 137 p. [**hydraulic properties, lithology, physical properties**]

Chamberlin, T.C., 1877, Geology of Wisconsin, Volume II, Survey of 1873 - 1877: Wisconsin Geological and Natural History Survey, 768 p. [**hydraulic properties, lithology, physical properties**]

Drescher, W.J., 1953, Ground-water conditions in artesian aquifers in Brown County, Wisconsin: U.S. Geological Survey Water-Supply Paper 1190, 49 p. [**hydraulic properties, lithology, physical properties, water use**]

Emmons, P.J., 1987, An evaluation of the bedrock aquifer system in northeastern Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 85-4199, 48 p. [**hydraulic properties, lithology, physical properties**]

Hydro-Search, 1991, Site Evaluation Report, Remedial Investigation/Feasibility Study, Better-Brite, Inc., De Pere, Wisconsin, Volume I: Report: Report on file at Wisconsin Department of Natural Resources, Facility ID number 405011090, 112 p. [**inorganic geochemistry, lithology, organic geochemistry, physical properties**]

Krohelski, J.T., 1986, Hydrogeology and ground-water use and quality, Brown County, Wisconsin: U.S. Geological Survey Information Circular No. 57, 42 p. [**hydraulic properties, lithology, physical properties**]

LoDuca, S.T., 1986, Stratigraphy of the Middle Ordovician Sinnipee Group in northeastern Wisconsin: University of Wisconsin - Madison, Master's thesis, 52 p. [**lithology, physical properties**]

Mudrey, M.G., Jr., Brown, B.A., and Greenberg, J.K., 1982, Bedrock geologic map of Wisconsin: University of

Wisconsin-Extension, Geological and Natural History Survey, 1 sheet. [**physical properties**]

Olcott, P.G., 1968, Water resources of Wisconsin, Fox-Wolf River Basin: University of Wisconsin-Extension, Geological and Natural History Survey Hydrologic Investigations, Atlas HA - 321, 4 sheets. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]

Ostrom, M.E., 1967, Paleozoic stratigraphic nomenclature for Wisconsin: Wisconsin Geological and Natural History Survey Information Circular No. 8, 1 sheet. [**lithology, physical properties**]

Simo, J.A., Freiberg, P.G., and Freiberg, K.S., 1996, Geologic constraints on arsenic in groundwater with applications to groundwater modeling: University of Wisconsin - Madison Water Resources Center, Ground-water Research Report WRC GRR 96-01, 60 p. [**inorganic chemistry, geophysical properties, lithology, physical properties**]

Wisconsin Department of Natural Resources, 1988-present, Well And Test Results (WATR) well construction reports. (Computerized data base containing well-construction and subsurface information. Call (608) 266-0153 to obtain access.) [**hydraulic properties, lithology, physical properties, water use**]

Wisconsin Geological and Natural History Survey, 1936-present, Well And Test Results (WATR) well construction reports. (Paper and microfiche copies available.) [**hydraulic properties, lithology, physical properties, water use**]

Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]

Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]

### Calumet County

Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. [**lithology, physical properties**]

Chamberlin, T.C., 1877, Geology of Wisconsin, Volume II, Survey of 1873 - 1877: Wisconsin Geological and Natural History Survey, 768 p. [**hydraulic properties, lithology, physical properties**]

Emmons, P.J., 1987, An evaluation of the bedrock aquifer system in northeastern Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 85-4199, 48 p. [**hydraulic properties, lithology, physical properties**]

Moretti, G., 1971, Reference section for Paleozoic rocks in eastern Wisconsin: Van Driest no. 1, Sheboygan County, University of Wisconsin - Milwaukee, Master's thesis, 137 p. [**lithology, physical properties**]

Mudrey, M.G., Jr., Brown, B.A., and Greenberg, J.K., 1982, Bedrock geologic map of Wisconsin: University of Wisconsin-Extension, Geological and Natural History Survey, 1 sheet. [**physical properties**]

Olcott, P.G., 1968, Water resources of Wisconsin, Fox-Wolf River Basin: University of Wisconsin-Extension, Geological and Natural History Survey Hydrologic Investigations, Atlas HA - 321, 4 sheets. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]

Ostrom, M.E., 1967, Paleozoic stratigraphic nomenclature for Wisconsin: Wisconsin Geological and Natural History Survey Information Circular No. 8, 1 sheet. [**lithology, physical properties**]

Simo, J.A., Freiberg, P.G., and Freiberg, K.S., 1996, Geologic constraints on arsenic in groundwater with applications to groundwater modeling: University of Wisconsin - Madison Water Resources Center, Groundwater Research Report WRC GRR 96-01, 60 p. [**inorganic chemistry, geophysical properties, lithology, physical properties**]

Wisconsin Department of Natural Resources, 1988-present, Well And Test Results (WATR) well construction reports. (Computerized data base containing well-construction and subsurface information. Call (608) 266-0153 to obtain access.) [**hydraulic properties, lithology, physical properties, water use**]

Wisconsin Geological and Natural History Survey, 1936-present, Well And Test Results (WATR) well construction reports. (Paper and microfiche copies available.) [**hydraulic properties, lithology, physical properties, water use**]

Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]

Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]

## Columbia County

Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. [**lithology, physical properties**]

Chamberlin, T.C., 1877, Geology of Wisconsin, Volume II, Survey of 1873 - 1877: Wisconsin Geological and Natural History Survey, 768 p. [**hydraulic properties, lithology, physical properties**]

Cotter, R.D., Hutchinson, R.D., Skinner, E.L., and Wentz, D.A., 1969, Water resources of Wisconsin, Rock-Fox River Basin: University of Wisconsin-Extension, Geological and Natural History Survey Hydrologic Investigations, Atlas HA - 360, 4 sheets. [**hydraulic properties, lithology, physical properties**]

Harr, C.A., Trotta, L.C., and Borman, R.G., 1978, Groundwater resources and geology of Columbia County, Wisconsin: University of Wisconsin-Extension, Geological and Natural History Survey Information Circular Number 37, 30 p. [**lithology, physical properties, water use**]

Mudrey, M.G., Jr., Brown, B.A., and Greenberg, J.K., 1982, Bedrock geologic map of Wisconsin: University of Wisconsin-Extension, Geological and Natural History Survey, 1 sheet. [**physical properties**]

Olcott, P.G., 1968, Water resources of Wisconsin, Fox-Wolf River Basin: University of Wisconsin-Extension, Geological and Natural History Survey Hydrologic Investigations, Atlas HA - 321, 4 sheets. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]

Ostrom, M.E., 1967, Paleozoic stratigraphic nomenclature for Wisconsin: Wisconsin Geological and Natural History Survey Information Circular No. 8, 1 sheet. [**lithology, physical properties**]

Wisconsin Department of Natural Resources, 1988-present, Well And Test Results (WATR) well construction reports. (Computerized data base containing well-construction and subsurface information. Call (608) 266-0153 to obtain access.) [**hydraulic properties, lithology, physical properties, water use**]

Wisconsin Geological and Natural History Survey, 1936-present, Well And Test Results (WATR) well construction reports. (Paper and microfiche copies available.) [**hydraulic properties, lithology, physical properties, water use**]

Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]

- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Dane County**
- Agnew, A.F., Heyl, A.V., Jr., and Lyons, J., 1956, Stratigraphy of Middle Ordovician rocks in the zinc-lead district of Wisconsin, Illinois, and Iowa: U.S. Geological Survey Professional Paper 274-K, p. 251-312. [**lithology, physical properties**]
- Atkinson, R.F., 1971, Platteville Formation conodonts, *in* Clark, D.L., Conodonts and biostratigraphy of the Wisconsin Paleozoic: Wisconsin Geological and Natural History Survey Information Circular 19, p. 18-33. [**lithology, physical properties**]
- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. [**lithology, physical properties**]
- Byers, C.W., Delgado, D.J., Dott, R.H., Jr., Pray, L.C., and Winfree, K.E., 1983, Sedimentology of Ordovician carbonates and sandstones in southwestern Wisconsin, Field guide and geological stop descriptions: 17th North-central Section GSA, 44 p. [**lithology, physical properties**]
- Chamberlin, T.C., 1877, Geology of Wisconsin, Volume II, Survey of 1873 - 1877: Wisconsin Geological and Natural History Survey, 768 p. [**hydraulic properties, lithology, physical properties**]
- Choi, Y.S., 1995, Stratigraphy and Sedimentology of the Middle Ordovician Sinnipee Group, Eastern Wisconsin: University of Wisconsin - Madison, Master's thesis, 229 p. [**lithology, physical properties**]
- Cline, D.R., 1965, Geology and ground-water resources of Dane County, Wisconsin: U.S. Geological Survey Water-Supply Paper 1779-U, 64 p. [**hydraulic properties, lithology, physical properties, water use**]
- Cotter, R.D., Hutchinson, R.D., Skinner, E.L., and Wentz, D.A., 1969, Water resources of Wisconsin, Rock-Fox River Basin: University of Wisconsin-Extension, Geological and Natural History Survey Hydrologic Investigations, Atlas HA - 360, 4 sheets. [**hydraulic properties, lithology, physical properties**]
- Deininger, R.W., 1964, Limestone-dolomite transition in the Ordovician Platteville Formation in Wisconsin: Journal of Sedimentary Petrology, v. 34, no. 2, p. 281-288. [**lithology, physical properties**]
- Heyl, A.V., Jr., Agnew, A.F., Lyons, E.J., and Behre, C.H., Jr., 1959, The geology of the Upper Mississippi Valley Zinc-Lead District: U.S. Geological Survey Professional Paper 309, 310 p. [**lithology, physical properties**]
- Mudrey, M.G., Jr., Brown, B.A., and Greenberg, J.K., 1982, Bedrock geologic map of Wisconsin: University of Wisconsin-Extension, Geological and Natural History Survey, 1 sheet. [**physical properties**]
- Ostrom, M.E., 1967, Paleozoic stratigraphic nomenclature for Wisconsin: Wisconsin Geological and Natural History Survey Information Circular No. 8, 1 sheet. [**lithology, physical properties**]
- Wisconsin Department of Natural Resources, 1988-present, Well And Test Results (WATR) well construction reports. (Computerized data base containing well-construction and subsurface information. Call (608) 266-0153 to obtain access.) [**hydraulic properties, lithology, physical properties, water use**]
- Wisconsin Geological and Natural History Survey, 1936-present, Well And Test Results (WATR) well construction reports. (Paper and microfiche copies available.) [**hydraulic properties, lithology, physical properties, water use**]
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Dodge County**
- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. [**lithology, physical properties**]
- Chamberlin, T.C., 1877, Geology of Wisconsin, Volume II, Survey of 1873 - 1877: Wisconsin Geological and Natural History Survey, 768 p. [**hydraulic properties, lithology, physical properties**]
- Choi, Y.S., 1995, Stratigraphy and Sedimentology of the Middle Ordovician Sinnipee Group, Eastern Wisconsin: University of Wisconsin - Madison, Master's thesis, 229 p. [**lithology, physical properties**]
- Cotter, R.D., Hutchinson, R.D., Skinner, E.L., and Wentz, D.A., 1969, Water resources of Wisconsin, Rock-Fox River Basin: University of Wisconsin-Extension, Geological and Natural History Survey

- Hydrologic Investigations, Atlas HA - 360, 4 sheets. **[hydraulic properties, lithology, physical properties]**
- Dames & Moore, 1992, Predesign Engineering Report, Oconomowoc Electroplating Company Superfund site, Ashippun, Wisconsin: Report on file at Wisconsin Department of Natural Resources, Facility ID number 114004220, 127 p. **[physical properties]**
- Devaul, R.W., Harr, C.A., and Schiller, J.J., 1983, Ground-water resources and geology of Dodge County, Wisconsin: University of Wisconsin-Extension, Geological and Natural History Survey Information Circular Number 44, 34 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties, water use]**
- Emmons, P.J., 1987, An evaluation of the bedrock aquifer system in northeastern Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 85-4199, 48 p. **[hydraulic properties, lithology, physical properties]**
- Mudrey, M.G., Jr., Brown, B.A., and Greenberg, J.K., 1982, Bedrock geologic map of Wisconsin: University of Wisconsin-Extension, Geological and Natural History Survey, 1 sheet. **[physical properties]**
- Ostrom, M.E., 1967, Paleozoic stratigraphic nomenclature for Wisconsin: Wisconsin Geological and Natural History Survey Information Circular No. 8, 1 sheet. **[lithology, physical properties]**
- Weaver, T.R., and Bahr, J.M., 1991, Geochemical evolution in the Cambrian-Ordovician sandstone aquifer, eastern Wisconsin: 2. Correlation between flow paths and ground-water chemistry: *Ground Water*, v. 29, no. 4, p. 510-515. **[hydraulic properties, inorganic geochemistry, physical properties]**
- Wisconsin Department of Natural Resources, 1988-present, Well And Test Results (WATR) well construction reports. (Computerized data base containing well-construction and subsurface information. Call (608) 266-0153 to obtain access.) **[hydraulic properties, lithology, physical properties, water use]**
- Wisconsin Geological and Natural History Survey, 1936-present, Well And Test Results (WATR) well construction reports. (Paper and microfiche copies available.) **[hydraulic properties, lithology, physical properties, water use]**
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties]**
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties]**
- Fond du Lac County**
- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. **[lithology, physical properties]**
- Chamberlin, T.C., 1877, Geology of Wisconsin, Volume II, Survey of 1873 - 1877: Wisconsin Geological and Natural History Survey, 768 p. **[hydraulic properties, lithology, physical properties]**
- Choi, Y.S., 1995, Stratigraphy and Sedimentology of the Middle Ordovician Sinnenpe Group, Eastern Wisconsin: University of Wisconsin - Madison, Master's thesis, 229 p. **[lithology, physical properties]**
- Cotter, R.D., Hutchinson, R.D., Skinner, E.L., and Wentz, D.A., 1969, Water resources of Wisconsin, Rock-Fox River Basin: University of Wisconsin-Extension, Geological and Natural History Survey Hydrologic Investigations, Atlas HA - 360, 4 sheets. **[hydraulic properties, lithology, physical properties]**
- Emmons, P.J., 1987, An evaluation of the bedrock aquifer system in northeastern Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 85-4199, 48 p. **[hydraulic properties, lithology, physical properties]**
- Moretti, G., 1971, Reference section for Paleozoic rocks in eastern Wisconsin: Van Driest no. 1, Sheboygan County, University of Wisconsin - Milwaukee, Master's thesis, 137 p. **[lithology, physical properties]**
- Mudrey, M.G., Jr., Brown, B.A., and Greenberg, J.K., 1982, Bedrock geologic map of Wisconsin: University of Wisconsin-Extension, Geological and Natural History Survey, 1 sheet. **[physical properties]**
- Newport, T.G., 1962, Geology and ground-water resources of Fond du Lac County, Wisconsin: U.S. Geological Survey Water-Supply Paper 1604, 52 p. **[hydraulic properties, lithology, physical properties]**
- Olcott, P.G., 1968, Water resources of Wisconsin, Fox-Wolf River Basin: University of Wisconsin-Extension, Geological and Natural History Survey Hydrologic Investigations, Atlas HA - 321, 4 sheets. **[hydraulic properties, inorganic geochemistry, lithology, physical properties]**
- Ostrom, M.E., 1967, Paleozoic stratigraphic nomenclature for Wisconsin: Wisconsin Geological and Natural History Survey Information Circular No. 8, 1 sheet. **[lithology, physical properties]**
- Simo, J.A., Freiberg, P.G., and Freiberg, K.S., 1996, Geologic constraints on arsenic in groundwater with applications to groundwater modeling: University of

- Wisconsin - Madison Water Resources Center, Ground-water Research Report WRC GRR 96-01, 60 p. [**inorganic chemistry, geophysical properties, lithology, physical properties**]
- Weaver, T.R., and Bahr, J.M., 1991, Geochemical evolution in the Cambrian-Ordovician sandstone aquifer, eastern Wisconsin: 2. Correlation between flow paths and ground-water chemistry: *Ground Water*, v. 29, no. 4, p. 510-515. [**hydraulic properties, inorganic geochemistry, physical properties**]
- Wisconsin Department of Natural Resources, 1988-present, Well And Test Results (WATR) well construction reports. (Computerized data base containing well-construction and subsurface information. Call (608) 266-0153 to obtain access.) [**hydraulic properties, lithology, physical properties, water use**]
- Wisconsin Geological and Natural History Survey, 1936-present, Well And Test Results (WATR) well construction reports. (Paper and microfiche copies available.) [**hydraulic properties, lithology, physical properties, water use**]
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Grant County**
- Agnew, A.F., 1963, Geology of the Platteville quadrangle, Wisconsin: U.S. Geological Survey Bulletin 1123-E, p. 245-277. [**lithology, physical properties**]
- Agnew, A.F., Heyl, A.V., Jr., and Lyons, J., 1956, Stratigraphy of Middle Ordovician rocks in the zinc-lead district of Wisconsin, Illinois, and Iowa: U.S. Geological Survey Professional Paper 274-K, p. 251-312. [**lithology, physical properties**]
- Atkinson, R.F., 1971, Platteville Formation conodonts, *in* Clark, D.L., Conodonts and biostratigraphy of the Wisconsin Paleozoic: Wisconsin Geological and Natural History Survey Information Circular 19, p. 18-33. [**lithology, physical properties**]
- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. [**lithology, physical properties**]
- Bakush, S.H., 1985, Carbonate microfacies, depositional environments and diagenesis of the Galena Group (Middle Ordovician) along the Mississippi River (Iowa, Wisconsin, Illinois, and Missouri), U.S.A.: Ph.D. thesis, University of Illinois at Urbana-Champaign, 223 p. [**lithology, physical properties**]
- Carlson, J. E., 1961, Geology of the Monfort and Linden quadrangles, Wisconsin: U.S. Geological Survey Bulletin 1123-B, p. 95-138. [**lithology, physical properties**]
- Chamberlin, T.C., 1877, Geology of Wisconsin, Volume II, Survey of 1873 - 1877: Wisconsin Geological and Natural History Survey, 768 p. [**hydraulic properties, lithology, physical properties**]
- Delgado, D.J., 1983, Ordovician Galena Group of the Upper Mississippi Valley - Deposition, diagenesis, and paleoecology: Guidebook for the 13th Annual Field Conference, 132 p. [**lithology, physical properties**]
- Heyl, A.V., Jr., Agnew, A.F., Lyons, E.J., and Behre, C.H., Jr., 1959, The geology of the Upper Mississippi Valley Zinc-Lead District: U.S. Geological Survey Professional Paper 309, 310 p. [**lithology, physical properties**]
- Kolata, D.R., 1986, K-bentonites of the Ordovician Decorah Subgroup, Upper Mississippi Valley: correlation by chemical fingerprinting: Illinois State Geological Survey Circular 537, 30 p. [**lithology, physical properties**]
- Mudrey, M.G., Jr., Brown, B.A., and Greenberg, J.K., 1982, Bedrock geologic map of Wisconsin: University of Wisconsin-Extension, Geological and Natural History Survey, 1 sheet. [**physical properties**]
- Mullens, T.E., 1964, Geology of the Cuba City, New Diggings, and Shullsburg quadrangles, Wisconsin and Illinois: U.S. Geological Survey Bulletin 1123-H, p. 437-532. [**lithology, physical properties**]
- Ostrom, M.E., 1967, Paleozoic stratigraphic nomenclature for Wisconsin: Wisconsin Geological and Natural History Survey Information Circular No. 8, 1 sheet. [**lithology, physical properties**]
- Ostrom, M.E., 1970, Sedimentation cycles in the Lower Paleozoic rocks of Western Wisconsin, *in* Field trip guidebook for Cambrian-Ordovician geology of Western Wisconsin: University of Wisconsin-Extension, Geological and Natural History Survey Information Circular Number 11, p. 10 - 34. [**lithology, physical properties**]
- Taylor, A.R., 1964, Geology of the Rewey and Mifflin quadrangles, Wisconsin: U.S. Geological Survey Bulletin 1123-F, p. 279-360. [**lithology, physical properties**]
- Whitlow, J.W., and Brown, C.E., 1963, Geology of the Dubuque North quadrangle, Iowa-Wisconsin-Illinois: U.S. Geological Survey Bulletin 1123-C, p. 139-168. [**lithology, physical properties**]

- Whitlow, J.W., and West, W.S., 1966, Geology of the Potosi quadrangle, Grant County, Wisconsin, and Dubuque County, Iowa: U.S. Geological Survey Bulletin 1123-I, p. 533-571. [**lithology, physical properties**]
- Wisconsin Department of Natural Resources, 1988-present, Well And Test Results (WATR) well construction reports. (Computerized data base containing well-construction and subsurface information. Call (608) 266-0153 to obtain access.) [**hydraulic properties, lithology, physical properties, water use**]
- Wisconsin Geological and Natural History Survey, 1936-present, Well And Test Results (WATR) well construction reports. (Paper and microfiche copies available.) [**hydraulic properties, lithology, physical properties, water use**]
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]

## Green County

- Agnew, A.F., Heyl, A.V., Jr., and Lyons, J., 1956, Stratigraphy of Middle Ordovician rocks in the zinc-lead district of Wisconsin, Illinois, and Iowa: U.S. Geological Survey Professional Paper 274-K, p. 251-312. [**lithology, physical properties**]
- Atkinson, R.F., 1971, Platteville Formation conodonts, *in* Clark, D.L., Conodonts and biostratigraphy of the Wisconsin Paleozoic: Wisconsin Geological and Natural History Survey Information Circular 19, p. 18-33. [**lithology, physical properties**]
- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. [**lithology, physical properties**]
- Chamberlin, T.C., 1877, Geology of Wisconsin, Volume II, Survey of 1873 - 1877: Wisconsin Geological and Natural History Survey, 768 p. [**hydraulic properties, lithology, physical properties**]
- Choi, Y.S., 1995, Stratigraphy and Sedimentology of the Middle Ordovician Sinnipee Group, Eastern Wisconsin: University of Wisconsin - Madison, Master's thesis, 229 p. [**lithology, physical properties**]

- Heyl, A.V., Jr., Agnew, A.F., Lyons, E.J., and Behre, C.H., Jr., 1959, The geology of the Upper Mississippi Valley Zinc-Lead District: U.S. Geological Survey Professional Paper 309, 310 p. [**lithology, physical properties**]
- Mudrey, M.G., Jr., Brown, B.A., and Greenberg, J.K., 1982, Bedrock geologic map of Wisconsin: University of Wisconsin-Extension, Geological and Natural History Survey, 1 sheet. [**physical properties**]
- Ostrom, M.E., 1967, Paleozoic stratigraphic nomenclature for Wisconsin: Wisconsin Geological and Natural History Survey Information Circular No. 8, 1 sheet. [**lithology, physical properties**]
- Wisconsin Department of Natural Resources, 1988-present, Well And Test Results (WATR) well construction reports. (Computerized data base containing well-construction and subsurface information. Call (608) 266-0153 to obtain access.) [**hydraulic properties, lithology, physical properties, water use**]
- Wisconsin Geological and Natural History Survey, 1936-present, Well And Test Results (WATR) well construction reports. (Paper and microfiche copies available.) [**hydraulic properties, lithology, physical properties, water use**]
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]

## Green Lake County

- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. [**lithology, physical properties**]
- Chamberlin, T.C., 1877, Geology of Wisconsin, Volume II, Survey of 1873 - 1877: Wisconsin Geological and Natural History Survey, 768 p. [**hydraulic properties, lithology, physical properties**]
- Emmons, P.J., 1987, An evaluation of the bedrock aquifer system in northeastern Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 85-4199, 48 p. [**hydraulic properties, lithology, physical properties**]

- Mudrey, M.G., Jr., Brown, B.A., and Greenberg, J.K., 1982, Bedrock geologic map of Wisconsin: University of Wisconsin-Extension, Geological and Natural History Survey, 1 sheet. **[physical properties]**
- Olcott, P.G., 1968, Water resources of Wisconsin, Fox-Wolf River Basin: University of Wisconsin-Extension, Geological and Natural History Survey Hydrologic Investigations, Atlas HA - 321, 4 sheets. **[hydraulic properties, inorganic geochemistry, lithology, physical properties]**
- Ostrom, M.E., 1967, Paleozoic stratigraphic nomenclature for Wisconsin: Wisconsin Geological and Natural History Survey Information Circular No. 8, 1 sheet. **[lithology, physical properties]**
- Wisconsin Department of Natural Resources, 1988-present, Well And Test Results (WATR) well construction reports. (Computerized data base containing well-construction and subsurface information. Call (608) 266-0153 to obtain access.) **[hydraulic properties, lithology, physical properties, water use]**
- Wisconsin Geological and Natural History Survey, 1936-present, Well And Test Results (WATR) well construction reports. (Paper and microfiche copies available.) **[hydraulic properties, lithology, physical properties, water use]**
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties]**
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties]**
- Iowa County**
- Agnew, A.F., Heyl, A.V., Jr., and Lyons, J., 1956, Stratigraphy of Middle Ordovician rocks in the zinc-lead district of Wisconsin, Illinois, and Iowa: U.S. Geological Survey Professional Paper 274-K, p. 251-312. **[lithology, physical properties]**
- Allingham, J.W., 1963, Geology of the Dodgeville and Mineral Point quadrangles, Wisconsin: U.S. Geological Survey Bulletin 1123-D, p. 169-244. **[lithology, physical properties]**
- Atkinson, R.F., 1971, Platteville Formation conodonts, *in* Clark, D.L., Conodonts and biostratigraphy of the Wisconsin Paleozoic: Wisconsin Geological and Natural History Survey Information Circular 19, p. 18-33. **[lithology, physical properties]**
- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. **[lithology, physical properties]**
- Carlson, J.E., 1961, Geology of the Monfort and Linden quadrangles, Wisconsin: U.S. Geological Survey Bulletin 1123-B, 138 p. **[lithology, physical properties]**
- Chamberlin, T.C., 1877, Geology of Wisconsin, Volume II, Survey of 1873 - 1877: Wisconsin Geological and Natural History Survey, 768 p. **[hydraulic properties, lithology, physical properties]**
- Deininger, R.W., 1964, Limestone-dolomite transition in the Ordovician Platteville Formation in Wisconsin: Journal of Sedimentary Petrology, v. 34, no. 2, p. 281-288. **[lithology, physical properties]**
- Heyl, A.V., Jr., Agnew, A.F., Lyons, E.J., and Behre, C.H., Jr., 1959, The geology of the Upper Mississippi Valley Zinc-Lead District: U.S. Geological Survey Professional Paper 309, 310 p. **[lithology, physical properties]**
- Kolata, D.R., 1986, K-bentonites of the Ordovician Decorah Subgroup, Upper Mississippi Valley: correlation by chemical fingerprinting: Illinois State Geological Survey Circular 537, 30 p. **[lithology, physical properties]**
- Mudrey, M.G., Jr., Brown, B.A., and Greenberg, J.K., 1982, Bedrock geologic map of Wisconsin: University of Wisconsin-Extension, Geological and Natural History Survey, 1 sheet. **[physical properties]**
- Ostrom, M.E., 1967, Paleozoic stratigraphic nomenclature for Wisconsin: Wisconsin Geological and Natural History Survey Information Circular No. 8, 1 sheet. **[lithology, physical properties]**
- Taylor, A.R., 1964, Geology of the Rewey and Mifflin quadrangles, Wisconsin: U.S. Geological Survey Bulletin 1123-F, p. 279-360. **[lithology, physical properties]**
- Wisconsin Department of Natural Resources, 1988-present, Well And Test Results (WATR) well construction reports. (Computerized data base containing well-construction and subsurface information. Call (608) 266-0153 to obtain access.) **[hydraulic properties, lithology, physical properties, water use]**
- Wisconsin Geological and Natural History Survey, 1936-present, Well And Test Results (WATR) well construction reports. (Paper and microfiche copies available.) **[hydraulic properties, lithology, physical properties, water use]**
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. **[hydraulic**

**properties, inorganic geochemistry, lithology, physical properties]**

Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties]**

### Jefferson County

Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. **[lithology, physical properties]**

Borman, R.G., and Trotta, L.C., 1975, Ground-water resources and geology of Jefferson County, Wisconsin: University of Wisconsin-Extension, Geological and Natural History Survey Information Circular Number 33, 31 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties, water use]**

Chamberlin, T.C., 1877, Geology of Wisconsin, Volume II, Survey of 1873 - 1877: Wisconsin Geological and Natural History Survey, 768 p. **[hydraulic properties, lithology, physical properties]**

Choi, Y.S., 1995, Stratigraphy and Sedimentology of the Middle Ordovician Sinnipee Group, Eastern Wisconsin: University of Wisconsin - Madison, Master's thesis, 229 p. **[lithology, physical properties]**

Cotter, R.D., Hutchinson, R.D., Skinner, E.L., and Wentz, D.A., 1969, Water resources of Wisconsin, Rock-Fox River Basin: University of Wisconsin-Extension, Geological and Natural History Survey Hydrologic Investigations, Atlas HA - 360, 4 sheets. **[hydraulic properties, lithology, physical properties]**

Mudrey, M.G., Jr., Brown, B.A., and Greenberg, J.K., 1982, Bedrock geologic map of Wisconsin: University of Wisconsin-Extension, Geological and Natural History Survey, 1 sheet. **[physical properties]**

Ostrom, M.E., 1967, Paleozoic stratigraphic nomenclature for Wisconsin: Wisconsin Geological and Natural History Survey Information Circular No. 8, 1 sheet. **[lithology, physical properties]**

RMT, Inc., 1995, Initial Site Report, Proposed Valley Sanitation Company, Inc. Landfill, Town of Koshkonong, Jefferson County, Wisconsin: Report on file at Wisconsin Department of Natural Resources, Facility ID number 128046930, 92 p. **[physical properties]**

Wisconsin Department of Natural Resources, 1988-present, Well And Test Results (WATR) well construction reports. (Computerized data base containing well-construction and subsurface information.

Call (608) 266-0153 to obtain access.) **[hydraulic properties, lithology, physical properties, water use]**

Wisconsin Geological and Natural History Survey, 1936-present, Well And Test Results (WATR) well construction reports. (Paper and microfiche copies available.) **[hydraulic properties, lithology, physical properties, water use]**

Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties]**

Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties]**

### Lafayette County

Agnew, A.F., 1963, Geology of the Platteville Quadrangle, Wisconsin: U.S. Geological Survey Bulletin 1123-E, p. 245-277. **[lithology, physical properties]**

Agnew, A.F., Heyl, A.V., Jr., and Lyons, J., 1956, Stratigraphy of Middle Ordovician rocks in the zinc-lead district of Wisconsin, Illinois, and Iowa: U.S. Geological Survey Professional Paper 274-K, p. 251-312. **[lithology, physical properties]**

Allingham, J.W., 1963, Geology of the Dodgeville and Mineral Point quadrangles, Wisconsin: U.S. Geological Survey Bulletin 1123-D, p. 169-244. **[lithology, physical properties]**

Atkinson, R.F., 1971, Platteville Formation conodonts, *in* Clark, D.L., Conodonts and biostratigraphy of the Wisconsin Paleozoic: Wisconsin Geological and Natural History Survey Information Circular 19, p. 18-33. **[lithology, physical properties]**

Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. **[lithology, physical properties]**

Chamberlin, T.C., 1877, Geology of Wisconsin, Volume II, Survey of 1873 - 1877: Wisconsin Geological and Natural History Survey, 768 p. **[hydraulic properties, lithology, physical properties]**

Deininger, R.W., 1964, Limestone-dolomite transition in the Ordovician Platteville Formation in Wisconsin: Journal of Sedimentary Petrology, v. 34, no. 2, p. 281-288. **[lithology, physical properties]**

Heyl, A.V., Jr., Agnew, A.F., Lyons, E.J., and Behre, C.H., Jr., 1959, The geology of the Upper

- Mississippi Valley Zinc-Lead District: U.S. Geological Survey Professional Paper 309, 310 p. [**lithology, physical properties**]
- Klemic, H., and West, W.S., 1964, Geology of the Belmont and Calamine quadrangles, Wisconsin: U.S. Geological Survey Bulletin 1123-G, p. 361-436. [**lithology, physical properties**]
- Mudrey, M.G., Jr., Brown, B.A., and Greenberg, J.K., 1982, Bedrock geologic map of Wisconsin: University of Wisconsin-Extension, Geological and Natural History Survey, 1 sheet. [**physical properties**]
- Mullens, T.E., 1964, Geology of the Cuba City, New Diggings, and Shullsburg quadrangles, Wisconsin and Illinois: U.S. Geological Survey Bulletin 1123-H, p. 437-532. [**lithology, physical properties**]
- Ostrom, M.E., 1967, Paleozoic stratigraphic nomenclature for Wisconsin: Wisconsin Geological and Natural History Survey Information Circular No. 8, 1 sheet. [**lithology, physical properties**]
- Taylor, A.R., 1964, Geology of the Rewey and Mifflin Quadrangles, Wisconsin: U.S. Geological Survey Bulletin 1123-F, p. 279-360. [**lithology, physical properties**]
- Wisconsin Department of Natural Resources, 1988-present, Well And Test Results (WATR) well construction reports. (Computerized data base containing well-construction and subsurface information. Call (608) 266-0153 to obtain access.) [**hydraulic properties, lithology, physical properties, water use**]
- Wisconsin Geological and Natural History Survey, 1936-present, Well And Test Results (WATR) well construction reports. (Paper and microfiche copies available.) [**hydraulic properties, lithology, physical properties, water use**]
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Marinette County**
- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. [**lithology, physical properties**]
- Cannestra, R.B., 1994, Digital simulation of ground-water flow along the western shoreline of Green Bay in Wisconsin: University of Wisconsin, Master's thesis, 137 p. [**hydraulic properties, lithology, physical properties**]
- Chamberlin, T.C., 1877, Geology of Wisconsin, Volume II, Survey of 1873 - 1877: Wisconsin Geological and Natural History Survey, 768 p. [**hydraulic properties, lithology, physical properties**]
- LoDuca, S.T., 1986, Stratigraphy of the Middle Ordovician Sennipee Group in northeastern Wisconsin: University of Wisconsin - Madison, Master's thesis, 52 p. [**lithology, physical properties**]
- Mudrey, M.G., Jr., Brown, B.A., and Greenberg, J.K., 1982, Bedrock geologic map of Wisconsin: University of Wisconsin-Extension, Geological and Natural History Survey, 1 sheet. [**physical properties**]
- Ostrom, M.E., 1967, Paleozoic stratigraphic nomenclature for Wisconsin: Wisconsin Geological and Natural History Survey Information Circular No. 8, 1 sheet. [**lithology, physical properties**]
- Simo, J.A., Freiberg, P.G., and Freiberg, K.S., 1996, Geologic constraints on arsenic in groundwater with applications to groundwater modeling: University of Wisconsin - Madison Water Resources Center, Ground-water Research Report WRC GRR 96-01, 60 p. [**inorganic chemistry, geophysical properties, lithology, physical properties**]
- Wisconsin Department of Natural Resources, 1988-present, Well And Test Results (WATR) well construction reports. (Computerized data base containing well-construction and subsurface information. Call (608) 266-0153 to obtain access.) [**hydraulic properties, lithology, physical properties, water use**]
- Wisconsin Geological and Natural History Survey, 1936-present, Well And Test Results (WATR) well construction reports. (Paper and microfiche copies available.) [**hydraulic properties, lithology, physical properties, water use**]
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties**]

## Oconto County

- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. **[lithology, physical properties]**
- Cannestra, R.B., 1994, Digital simulation of ground-water flow along the western shoreline of Green Bay in Wisconsin: University of Wisconsin, Master's thesis, 137 p. **[hydraulic properties, lithology, physical properties]**
- Chamberlin, T.C., 1877, Geology of Wisconsin, Volume II, Survey of 1873 - 1877: Wisconsin Geological and Natural History Survey, 768 p. **[hydraulic properties, lithology, physical properties]**
- LoDuca, S.T., 1986, Stratigraphy of the Middle Ordovician Sinnipee Group in northeastern Wisconsin: University of Wisconsin - Madison, Master's thesis, 52 p. **[lithology, physical properties]**
- Mudrey, M.G., Jr., Brown, B.A., and Greenberg, J.K., 1982, Bedrock geologic map of Wisconsin: University of Wisconsin-Extension, Geological and Natural History Survey, 1 sheet. **[physical properties]**
- Ostrom, M.E., 1967, Paleozoic stratigraphic nomenclature for Wisconsin: Wisconsin Geological and Natural History Survey Information Circular No. 8, 1 sheet. **[lithology, physical properties]**
- Simo, J.A., Freiberg, P.G., and Freiberg, K.S., 1996, Geologic constraints on arsenic in groundwater with applications to groundwater modeling: University of Wisconsin - Madison Water Resources Center, Ground-water Research Report WRC GRR 96-01, 60 p. **[inorganic chemistry, geophysical properties, lithology, physical properties]**
- Wisconsin Department of Natural Resources, 1988-present, Well And Test Results (WATR) well construction reports. (Computerized data base containing well-construction and subsurface information. Call (608) 266-0153 to obtain access.) **[hydraulic properties, lithology, physical properties, water use]**
- Wisconsin Geological and Natural History Survey, 1936-present, Well And Test Results (WATR) well construction reports. (Paper and microfiche copies available.) **[hydraulic properties, lithology, physical properties, water use]**
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties]**
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern

Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties]**

## Outagamie County

- Atkinson, R.F., 1971, Platteville Formation conodonts, *in* Clark, D.L., Conodonts and biostratigraphy of the Wisconsin Paleozoic: Wisconsin Geological and Natural History Survey Information Circular 19, p. 18-33. **[lithology, physical properties]**
- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. **[lithology, physical properties]**
- Chamberlin, T.C., 1877, Geology of Wisconsin, Volume II, Survey of 1873 - 1877: Wisconsin Geological and Natural History Survey, 768 p. **[hydraulic properties, lithology, physical properties]**
- Eichleay Engineers, Inc., 1994, The Porter Well, Seymour, Wisconsin, Final Report: Report on file at Wisconsin Department of Natural Resources, Facility ID number 445123690, 46 p. **[physical properties]**
- Emmons, P.J., 1987, An evaluation of the bedrock aquifer system in northeastern Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 85-4199, 48 p. **[hydraulic properties, lithology, physical properties]**
- LeRoux, E.F., 1957, Geology and ground-water resources of Outagamie County, Wisconsin: U.S. Geological Survey Water-Supply Paper 1421, 57 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties]**
- LoDuca, S.T., 1986, Stratigraphy of the Middle Ordovician Sinnipee Group in northeastern Wisconsin: University of Wisconsin - Madison, Master's thesis, 52 p. **[lithology, physical properties]**
- Mudrey, M.G., Jr., Brown, B.A., and Greenberg, J.K., 1982, Bedrock geologic map of Wisconsin: University of Wisconsin-Extension, Geological and Natural History Survey, 1 sheet. **[physical properties]**
- Olcott, P.G., 1968, Water resources of Wisconsin, Fox-Wolf River Basin: University of Wisconsin-Extension, Geological and Natural History Survey Hydrologic Investigations, Atlas HA - 321, 4 sheets. **[hydraulic properties, inorganic geochemistry, lithology, physical properties]**
- Ostrom, M.E., 1967, Paleozoic stratigraphic nomenclature for Wisconsin: Wisconsin Geological and Natural History Survey Information Circular No. 8, 1 sheet. **[lithology, physical properties]**

- Simo, J.A., Freiberg, P.G., and Freiberg, K.S., 1996, Geologic constraints on arsenic in groundwater with applications to groundwater modeling: University of Wisconsin - Madison Water Resources Center, Groundwater Research Report WRC GRR 96-01, 60 p. **[inorganic chemistry, geophysical properties, lithology, physical properties]**
- Wisconsin Department of Natural Resources, 1988-present, Well And Test Results (WATR) - well construction Wisconsin Department of Natural Resources, 1988-present, Well And Test Results (WATR) well construction reports. (Computerized data base containing well-construction and subsurface information. Call (608) 266-0153 to obtain access.) **[hydraulic properties, lithology, physical properties, water use]**
- Wisconsin Geological and Natural History Survey, 1936-present, Well And Test Results (WATR) well construction reports. (Paper and microfiche copies available.) **[hydraulic properties, lithology, physical properties, water use]**
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties]**
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties]**
- Rock County**
- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. **[lithology, physical properties]**
- Chamberlin, T.C., 1877, Geology of Wisconsin, Volume II, Survey of 1873 - 1877: Wisconsin Geological and Natural History Survey, 768 p. **[hydraulic properties, lithology, physical properties]**
- Choi, Y.S., 1995, Stratigraphy and Sedimentology of the Middle Ordovician Sennipee Group, Eastern Wisconsin: University of Wisconsin - Madison, Master's thesis, 229 p. **[lithology, physical properties]**
- Cotter, R.D., Hutchinson, R.D., Skinner, E.L., and Wentz, D.A., 1969, Water resources of Wisconsin, Rock-Fox River Basin: University of Wisconsin-Extension, Geological and Natural History Survey Hydrologic Investigations, Atlas HA - 360, 4 sheets. **[hydraulic properties, lithology, physical properties]**
- LeRoux, E.F., 1963, Geology and ground-water resources of Rock County, Wisconsin: U.S. Geological Survey Water-Supply Paper 1619-X, 50 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties]**
- Mudrey, M.G., Jr., Brown, B.A., and Greenberg, J.K., 1982, Bedrock geologic map of Wisconsin: University of Wisconsin-Extension, Geological and Natural History Survey, 1 sheet. **[physical properties]**
- Ostrom, M.E., 1967, Paleozoic stratigraphic nomenclature for Wisconsin: Wisconsin Geological and Natural History Survey Information Circular No. 8, 1 sheet. **[lithology, physical properties]**
- Wisconsin Department of Natural Resources, 1988-present, Well And Test Results (WATR) well construction reports. (Computerized data base containing well-construction and subsurface information. Call (608) 266-0153 to obtain access.) **[hydraulic properties, lithology, physical properties, water use]**
- Wisconsin Geological and Natural History Survey, 1936-present, Well And Test Results (WATR) well construction reports. (Paper and microfiche copies available.) **[hydraulic properties, lithology, physical properties, water use]**
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties]**
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties]**
- Shawano County**
- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. **[lithology, physical properties]**
- Chamberlin, T.C., 1877, Geology of Wisconsin, Volume II, Survey of 1873 - 1877: Wisconsin Geological and Natural History Survey, 768 p. **[hydraulic properties, lithology, physical properties]**
- LoDuca, S.T., 1986, Stratigraphy of the Middle Ordovician Sennipee Group in northeastern Wisconsin: University of Wisconsin - Madison, Master's thesis, 52 p. **[lithology, physical properties]**
- Mudrey, M.G., Jr., Brown, B.A., and Greenberg, J.K., 1982, Bedrock geologic map of Wisconsin: University of

- Wisconsin-Extension, Geological and Natural History Survey, 1 sheet. **[physical properties]**
- Olcott, P.G., 1968, Water resources of Wisconsin, Fox-Wolf River Basin: University of Wisconsin-Extension, Geological and Natural History Survey Hydrologic Investigations, Atlas HA - 321, 4 sheets. **[hydraulic properties, inorganic geochemistry, lithology, physical properties]**
- Ostrom, M.E., 1967, Paleozoic stratigraphic nomenclature for Wisconsin: Wisconsin Geological and Natural History Survey Information Circular No. 8, 1 sheet. **[lithology, physical properties]**
- Simo, J.A., Freiberg, P.G., and Freiberg, K.S., 1996, Geologic constraints on arsenic in groundwater with applications to groundwater modeling: University of Wisconsin - Madison Water Resources Center, Groundwater Research Report WRC GRR 96-01, 60 p. **[inorganic chemistry, geophysical properties, lithology, physical properties]**
- Wisconsin Department of Natural Resources, 1988-present, Well And Test Results (WATR) well construction reports. (Computerized data base containing well-construction and subsurface information. Call (608) 266-0153 to obtain access.) **[hydraulic properties, lithology, physical properties, water use]**
- Wisconsin Geological and Natural History Survey, 1936-present, Well And Test Results (WATR) well construction reports. (Paper and microfiche copies available.) **[hydraulic properties, lithology, physical properties, water use]**
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties]**
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties]**
- Walworth County**
- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. **[lithology, physical properties]**
- Borman, R.G., 1976, Ground-water resources and geology of Walworth County, Wisconsin: University of Wisconsin-Extension, Geological and Natural History Survey Information Circular Number 34, 45 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties, water use]**
- Chamberlin, T.C., 1877, Geology of Wisconsin, Volume II, Survey of 1873 - 1877: Wisconsin Geological and Natural History Survey, 768 p. **[hydraulic properties, lithology, physical properties]**
- Choi, Y.S., 1995, Stratigraphy and Sedimentology of the Middle Ordovician Sinnipee Group, Eastern Wisconsin: University of Wisconsin - Madison, Master's thesis, 229 p. **[lithology, physical properties]**
- Cotter, R.D., Hutchinson, R.D., Skinner, E.L., and Wentz, D.A., 1969, Water resources of Wisconsin, Rock-Fox River Basin: University of Wisconsin-Extension, Geological and Natural History Survey Hydrologic Investigations, Atlas HA - 360, 4 sheets. **[hydraulic properties, lithology, physical properties]**
- Green, J.H., 1968, The Troy Valley of southeastern Wisconsin, in Geological Survey Research: U.S. Geological Survey Professional Paper 600-C, p. C 135 - C 139. **[lithology, physical properties]**
- Mudrey, M.G., Jr., Brown, B.A., and Greenberg, J.K., 1982, Bedrock geologic map of Wisconsin: University of Wisconsin-Extension, Geological and Natural History Survey, 1 sheet. **[physical properties]**
- Ostrom, M.E., 1967, Paleozoic stratigraphic nomenclature for Wisconsin: Wisconsin Geological and Natural History Survey Information Circular No. 8, 1 sheet. **[lithology, physical properties]**
- Wisconsin Department of Natural Resources, 1988-present, Well And Test Results (WATR) well construction reports. (Computerized data base containing well-construction and subsurface information. Call (608) 266-0153 to obtain access.) **[hydraulic properties, lithology, physical properties, water use]**
- Wisconsin Geological and Natural History Survey, 1936-present, Well And Test Results (WATR) well construction reports. (Paper and microfiche copies available.) **[hydraulic properties, lithology, physical properties, water use]**
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties]**
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties]**

## Washington County

- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. **[lithology, physical properties]**
- Chamberlin, T.C., 1877, Geology of Wisconsin, Volume II, Survey of 1873 - 1877: Wisconsin Geological and Natural History Survey, 768 p. **[hydraulic properties, lithology, physical properties]**
- Cotter, R.D., Hutchinson, R.D., Skinner, E.L., and Wentz, D.A., 1969, Water resources of Wisconsin, Rock-Fox River Basin: University of Wisconsin-Extension, Geological and Natural History Survey Hydrologic Investigations, Atlas HA - 360, 4 sheets. **[hydraulic properties, lithology, physical properties]**
- Moretti, G., 1971, Reference section for Paleozoic rocks in eastern Wisconsin: Van Driest no. 1, Sheboygan County, University of Wisconsin - Milwaukee, Master's thesis, 137 p. **[lithology, physical properties]**
- Mudrey, M.G., Jr., Brown, B.A., and Greenberg, J.K., 1982, Bedrock geologic map of Wisconsin: University of Wisconsin-Extension, Geological and Natural History Survey, 1 sheet. **[physical properties]**
- Ostrom, M.E., 1967, Paleozoic stratigraphic nomenclature for Wisconsin: Wisconsin Geological and Natural History Survey Information Circular No. 8, 1 sheet. **[lithology, physical properties]**
- Wisconsin Department of Natural Resources, 1988-present, Well And Test Results (WATR) well construction reports. (Computerized data base containing well-construction and subsurface information. Call (608) 266-0153 to obtain access.) **[hydraulic properties, lithology, physical properties, water use]**
- Wisconsin Geological and Natural History Survey, 1936-present, Well And Test Results (WATR) well construction reports. (Paper and microfiche copies available.) **[hydraulic properties, lithology, physical properties, water use]**
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties]**
- Young, H.L., and Batten, W. G., 1980, Ground-water resources and geology of Washington and Ozaukee Counties, Wisconsin: University of Wisconsin-Extension, Geological and Natural History Survey Information Circular Number 38, 37 p. **[physical properties]**
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern

Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. **[hydraulic properties, inorganic geochemistry, lithology, physical properties]**

## Waukesha County

- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. **[lithology, physical properties]**
- Chamberlin, T.C., 1877, Geology of Wisconsin, Volume II, Survey of 1873 - 1877: Wisconsin Geological and Natural History Survey, 768 p. **[hydraulic properties, lithology, physical properties]**
- Choi, Y.S., 1995, Stratigraphy and Sedimentology of the Middle Ordovician Sinnipee Group, Eastern Wisconsin: University of Wisconsin - Madison, Master's thesis, 229 p. **[lithology, physical properties]**
- Cotter, R.D., Hutchinson, R.D., Skinner, E.L., and Wentz, D.A., 1969, Water resources of Wisconsin, Rock-Fox River Basin: University of Wisconsin-Extension, Geological and Natural History Survey Hydrologic Investigations, Atlas HA - 360, 4 sheets. **[hydraulic properties, lithology, physical properties]**
- Gonthier, J.B., 1975, Ground-water resources of Waukesha County, Wisconsin: University of Wisconsin-Extension, Geological and Natural History Survey Information Circular Number 29, 47 p. **[hydraulic properties, lithology, physical properties]**
- Mudrey, M.G., Jr., Brown, B.A., and Greenberg, J.K., 1982, Bedrock geologic map of Wisconsin: University of Wisconsin-Extension, Geological and Natural History Survey, 1 sheet. **[physical properties]**
- Ostrom, M.E., 1967, Paleozoic stratigraphic nomenclature for Wisconsin: Wisconsin Geological and Natural History Survey Information Circular No. 8, 1 sheet. **[lithology, physical properties]**
- Wisconsin Department of Natural Resources, 1988-present, Well And Test Results (WATR) well construction reports. (Computerized data base containing well-construction and subsurface information. Call (608) 266-0153 to obtain access.) **[hydraulic properties, lithology, physical properties, water use]**
- Wisconsin Geological and Natural History Survey, 1936-present, Well And Test Results (WATR) well construction reports. (Paper and microfiche copies available.) **[hydraulic properties, lithology, physical properties, water use]**
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. **[hydraulic**

**properties, inorganic geochemistry, lithology, physical properties]**

Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties]**]

## Winnebago County

- Atkinson, R.F., 1971, Platteville Formation conodonts, *in* Clark, D.L., Conodonts and biostratigraphy of the Wisconsin Paleozoic: Wisconsin Geological and Natural History Survey Information Circular 19, p. 18-33. [**lithology, physical properties]**]
- Batten, W.G., Brown, T.A., Sabin, T.J., and Mills, P.C., 1997, Rock-stratigraphic nomenclature, lithology, and subcrop area of the Galena-Platteville bedrock unit in Illinois and Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 97-4054B, 1 sheet. [**lithology, physical properties]**]
- Chamberlin, T.C., 1877, Geology of Wisconsin, Volume II, Survey of 1873 - 1877: Wisconsin Geological and Natural History Survey, 768 p. [**hydraulic properties, lithology, physical properties]**]
- Choi, Y.S., 1995, Stratigraphy and Sedimentology of the Middle Ordovician Sinnipee Group, Eastern Wisconsin: University of Wisconsin - Madison, Master's thesis, 229 p. [**lithology, physical properties]**]
- Emmons, P.J., 1987, An evaluation of the bedrock aquifer system in northeastern Wisconsin: U.S. Geological Survey Water-Resources Investigations Report 85-4199, 48 p. [**hydraulic properties, lithology, physical properties]**]
- Foth & Van Dyke, 1993, Feasibility Report for the Proposed North Site Sludge Landfill, Volume 1: Report on file at Wisconsin Department of Natural Resources, Facility ID number 471093040, 246 p. [**physical properties]**]
- LoDuca, S.T., 1986, Stratigraphy of the Middle Ordovician Sinnipee Group in northeastern Wisconsin: University of Wisconsin - Madison, Master's thesis, 52 p. [**lithology, physical properties]**]
- Mudrey, M.G., Jr., Brown, B.A., and Greenberg, J.K., 1982, Bedrock geologic map of Wisconsin: University of Wisconsin-Extension, Geological and Natural History Survey, 1 sheet. [**physical properties]**]
- Olcott, P.G., 1966, Geology and water resources of Winnebago County, Wisconsin: U.S. Geological Survey Water-Supply Paper 1814, 61 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties]**]
- Olcott, P.G., 1968, Water resources of Wisconsin, Fox-Wolf River Basin: University of Wisconsin-Extension, Geological and Natural History Survey Hydrologic Investigations, Atlas HA - 321, 4 sheets. [**hydraulic properties, inorganic geochemistry, lithology, physical properties]**]
- Ostrom, M.E., 1967, Paleozoic stratigraphic nomenclature for Wisconsin: Wisconsin Geological and Natural History Survey Information Circular No. 8, 1 sheet. [**lithology, physical properties]**]
- Simo, J.A., Freiberg, P.G., and Freiberg, K.S., 1996, Geologic constraints on arsenic in groundwater with applications to groundwater modeling: University of Wisconsin - Madison Water Resources Center, Groundwater Research Report WRC GRR 96-01, 60 p. [**inorganic chemistry, geophysical properties, lithology, physical properties]**]
- Wisconsin Department of Natural Resources, 1988-present, Well And Test Results (WATR) well construction reports. (Computerized data base containing well-construction and subsurface information. Call (608) 266-0153 to obtain access.) [**hydraulic properties, lithology, physical properties, water use]**]
- Wisconsin Geological and Natural History Survey, 1936-present, Well And Test Results (WATR) well construction reports. (Paper and microfiche copies available.) [**hydraulic properties, lithology, physical properties, water use]**]
- Young, H.L., 1992, Summary of the ground-water hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-A, 55 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties]**]
- Young, H.L., and Siegel, D.I., 1992, Hydrogeology of the Cambrian-Ordovician aquifer system in the northern Midwest, United States: U.S. Geological Survey Professional Paper 1405-B, 99 p. [**hydraulic properties, inorganic geochemistry, lithology, physical properties]**]

U.S. Department of the Interior  
U.S. Geological Survey, WRD  
8505 Research Way  
Middleton, WI 53562

U.S. Department of the Interior  
U.S. Geological Survey, WRD  
221 North Broadway Avenue  
Urbana, IL 61801

## **BOOK RATE**

Brown and others—BIBLIOGRAPHY OF SELECTED REFERENCES ON THE HYDROGEOLOGIC AND CHEMICAL PROPERTIES OF THE  
GALENA-PLATTEVILLE BEDROCK UNIT IN ILLINOIS AND WISCONSIN, 1877-1997—U.S. Geological Survey WRIIR Report 97-4054A